



**SPECIAL
ORDERS**



 **Austral**TM
Clothes Hoists

Thank you for supporting
**100% Australian Made
and Owned!**

Complete Product Range

*Fold Down Clothes Lines
Retract Away Clothes Lines
Fold Away Rotaries
Fixed Rotaries
Accessories*

australclotheslines.com.au

ach-mc-2018-10-V1

Available at
BUNNINGS
warehouse



 **Orrcon**
Steel

Austral™ You Can Trust Australian Made!

Austral Clothes Lines is proudly 100% Australian made and owned and is now the only clothes line company manufacturing a full range of clothes lines in Australia.

Why should I buy an Austral Clothes Line rather than another Brand?

Austral's Clothes Lines offer a large range of styles with more line space, for greater drying flexibility. Not only are Austral Clothes Lines manufactured right here in Australia, they're built to last in Australia's harsh climate.

What percentage of Austral's Clothes Lines are Australian made?


100% of Austral's clothes lines and accessories are manufactured in Australia. The Galvabond® Steel used in all our products is milled using Australian strip by BlueScope® Steel Limited. All plastic components contain UV stabilizers. Cord and wire are manufactured to our own specification, to ensure sturdy, reliable products.

Do Austral products carry a Warranty?

Austral offers a 20 year structural guarantee. We guarantee the tubular frame against breakage or distortion caused by rust on all Galvabond® products given fair wear and tear. All Austral's clothes lines are manufactured using Galvabond® Steel to ensure maximum protection from the elements. Please refer to the product warranty for full terms and conditions.

Choosing the right Austral Clothes Line

Give consideration to selecting a level, north or south facing site to achieve the maximum amount of sunlight, away from view if possible. This floor plan shows some suggested clothes line locations. See our complete product range directory opposite to determine which product suits your requirement best.



Meet the Austral Product Range



Fold Down Clothes Lines

- ✓ Pre-Assembled Side Arms
- ✓ Easy DIY installation
- ✓ All structural steel components
- ✓ Length easily reduced
- ✓ 8 different models to choose from
- ✓ Patented Tension Lock



Retract Away Clothes Lines

- ✓ Aesthetically discreet
- ✓ 5 lines with wide spacing
- ✓ Minimum distance 2m
- ✓ Easy DIY installation
- ✓ Maximum distance 8m or 10m

AustralTM Complete Product Range Directory

1 Fold Down

	Dimensions	Line Space	No. of Lines	Classic Cream	Woodland Grey	Surfmist	Suggested Area	Suitable For	Page No.
Add-A-Line	2.49m x 1.5m	35.6m	15	✓	✓	✓	2.6m x 1.8m	1-5 people	5
Standard	2.49m x 1.5m	28.5m	12	✓	✓	✓	2.6m x 1.8m	1-4 people	6
Compact	2.49m x 0.935m	28.5m	12	✓	✓	✓	2.6m x 1.2m	1-4 people	7
Compact 39	3.39m x 0.935m	39.3m	12	✓	✓	✓	3.5m x 1.2m	1-6 people	8
SlenderLine 16	2.49m x 0.61m	14.2m	6	✓	✓	✓	2.6m x 0.8m	1-2 people	9
SlenderLine 20	3.39m x 0.61m	19.6m	6	✓	✓	✓	3.5m x 0.8m	1-2 people	10
Unit Line	1.4m x 0.935m	15.4m	12	✓	✓	✓	1.5m x 1.2m	1-2 people	11
Indoor / Outdoor	1.26m x 0.6m	8.2m	7	—	—	✓	1.4m x 0.7m	1-2 people	12

2 Retract Away

	Cabinet Size	Line Space	No. of Lines	Classic Cream	Woodland Grey	Suggested Area	Suitable For	Page No.
Retract Away 40	0.82m x 0.125m	10-40m	5	✓	✓	1.3m x 2-8m	1-6 people	15
Retract Away 50	0.82m x 0.125m	10-50m	5	✓	✓	1.3m x 2-10m	1-6 people	16

3 Fold Away Rotaries

	Head Diameter	Line Space	No. of Lines	Classic Cream	Woodland Grey	Heritage Green	Suggested Area	Suitable For	Page No.
Fold Away 45	3.3m	47.1m	7	✓	✓	✓	4.5m x 4.5m	1-6 people	19
Fold Away 51	3.8m	51.1m	7	✓	✓	✓	5m x 5m	1-6 people	20

4 Fixed Rotaries

	Head Diameter	Line Space	No. of Lines	Galvanised	Heritage Green	Suggested Area	Suitable For	Page No.
Elite 4	4m	40.4m	6	—	✓	6m x 6m	1-5 people	22
Deluxe 4	4m	40.4m	6	✓	—	6m x 6m	1-5 people	23
Deluxe 5	5m	50m	6	✓	—	7m x 7m	1-6 people	24
Super 4	4m	40.4m	6	✓	—	6m x 6m	1-5 people	25
Super 5	5m	50m	6	✓	—	7m x 7m	1-6 people	26
Super 6	6m	64.5m	7	✓	—	8m x 8m	1-6+ people	27



Fold Away Rotaries

- ✓ Pre-corded
- ✓ Galuabond® Steel construction
- ✓ Ground Socket included
- ✓ Easy DIY installation
- ✓ Easily folded for removal



Permanently Fixed Rotaries

- ✓ Permanently fixed traditional styled Galvanised Rotaries
- ✓ Galuabond® Steel construction with Galvanised Wire
- ✓ 4, 5 or 6m models
- ✓ Deluxe models have a plastic gear case assembly
- ✓ Super models offer a traditional alloy gear case
- ✓ Full assembly required

Austral[™] Fold Down Clothes Lines



Cords are easily tightened using
Patented Tension Lock



Surfmist model shown

Features and Benefits

- ✓ Pre-Assembled Side Arms
- ✓ Easy DIY installation
- ✓ All structural steel components
- ✓ Length easily reduced
- ✓ 8 different models to choose from

Available colours



CLASSIC CREAM




SURFMIST



WOODLAND GREY

COLORBOND® steel and ® colour names and ™ colour names are trademarks of BlueScope® Steel Limited.

Not all products are available in all colours (see individual product information for colours available).



A large range to suit any requirement

Austral's Fold Downs have more line space for greater drying flexibility. The range offers a variety of lengths and depths and when closed, have 6-8cm side profiles. Fold Downs have bent tubular steel front corners for strength and reliability.

Mounting options

Fold Down Wall Mounts

- ✓ Fold Downs are manufactured using BlueScope® Galvabond® Steel tube
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Pre-assembled side arms
- ✓ No structural plastic components
- ✓ Masonry and timber fittings included
- ✓ Fold Downs may be reduced in length during installation, to fit smaller spaces. The Front Bar consists of 3 sections: 2x spacers and 1x joiner. An equal amount is cut off the end of each spacer, prior to insertion into Joiner. The assembled Front Bar is then inserted into Side Arms.

Please seek advice if fixing to alternative surfaces.

Fold Down Ground Mount Kits

- ✓ Are available in 1.3m, 2.4m and 3.3m lengths in standard and plated post options (for hard surface fixing)
- ✓ The posts are multi punched to allow flexible height adjustment for Fold Downs

Standard Ground Mount Kits:

- ✓ Standard Ground Mount Kits include 2 posts, back bar and post fittings

Plated Ground Mount Kits:

- ✓ Plated Ground Mount Kits include 2 plated posts, back bar and upper post fittings
- ✓ Plated bases are welded onto base of Posts prior to powder coating

Please refer to page 13 for Plate fitting requirements.




Woodland Grey model shown

Add-A-Line

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Large double folding frame suitable for a large family
- ✓ Frames may be used independently and both frames fold down
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Graduated line spacing allows for a variety of washing: wide spaces 130mm, narrow spaces 65mm
- ✓ Assembled dimensions: 2490mm x 1500mm x 240mm
- ✓ Carton dimensions: 1550mm x 250mm x 105mm



SUITS 1-5 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



AVAILABLE SEPARATELY

Add-A-Line

Colour	Fineline	APN	VPN
Classic Cream	4510523	9315384000012	ADDCC
Surfmist	0074747	9315384000753	ADDSM
Woodland Grey	4510522	9315384000005	ADDWG

Ground Mount Kit – 2.4m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510538	9315384000135	GMKCC
Surfmist	0074755	9315384000821	GMKSM
Woodland Grey	4510537	9315384000128	GMKWG

Ground Mount Kit Plated – 2.4m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510540	9315384000159	GMKPLCC
Surfmist	0074756	9315384000838	GMKPLSM
Woodland Grey	4510539	9315384000142	GMKPLWG




Classic Cream model shown

Standard

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Large single folding frame suitable for a large family
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Graduated line spacing allows for a variety of washing: wide spaces 130mm, narrow spaces 65mm
- ✓ Assembled dimensions: 2490mm x 1500mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm




SUITS 1-4 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



*OPTIONAL 2.4m PLATED OR GROUND MOUNT KIT

Standard

Colour	Fineline	APN	VPN
Classic Cream	4510525	9315384000036	STDCC
Surfmist	0074748	9315384000760	STDMS
Woodland Grey	4510524	9315384000029	STDWG

Ground Mount Kit – 2.4m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510538	9315384000135	GMKCC
Surfmist	0074755	9315384000821	GMKSM
Woodland Grey	4510537	9315384000128	GMKWG

Ground Mount Kit Plated – 2.4m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510540	9315384000159	GMKPLCC
Surfmist	0074756	9315384000838	GMKPLSM
Woodland Grey	4510539	9315384000142	GMKPLWG




Surfmist model shown

Compact

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ A large number of lines on a smaller frame. Folds down to about hip height – perfect for older or physically impaired residents
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 2490mm x 935mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm



SUITS 1-4 PEOPLE



CORD LENGTH



AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



AVAILABLE SEPARATELY

Compact

Colour	Fineline	APN	VPN
Classic Cream	4510527	9315384000050	COMPCC
Surfmist	0074749	9315384000777	COMPMS
Woodland Grey	4510526	9315384000043	COMPWG

Ground Mount Kit – 2.4m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510538	9315384000135	GMKCC
Surfmist	0074755	9315384000821	GMKSM
Woodland Grey	4510537	9315384000128	GMKWG

Ground Mount Kit Plated – 2.4m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510540	9315384000159	GMKPLCC
Surfmist	0074756	9315384000838	GMKPLSM
Woodland Grey	4510539	9315384000142	GMKPLWG




Woodland Grey model shown

Compact 39

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ A large number of lines on a smaller frame. Folds down to about hip height – perfect for older or physically impaired residents
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 3390mm x 935mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm



SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



*OPTIONAL 3.3m PLATED OR GROUND MOUNT KIT

Compact 39

Colour	Fineline	APN	VPN
Classic Cream	4510948	9315384000715	COMP39CC
Surfmist	0074750	9315384000784	COMP39SM
Woodland Grey	4510949	9315384000722	COMP39WG

Ground Mount Kit – 3.3m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510547	9315384000210	GMKSL20CC
Surfmist	0074759	9315384000869	GMKSL20SM
Woodland Grey	4510546	9315384000203	GMKSL20WG

Ground Mount Kit Plated – 3.3m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510549	9315384000234	GMKSL20PLCC
Surfmist	0074760	9315384000876	GMKSL20PLSM
Woodland Grey	4510548	9315384000227	GMKSL20PLWG




Classic Cream model shown

Slenderline 16

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Suitable for long narrow areas
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 2490mm x 610mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm



SUITS 1-2 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



AVAILABLE SEPARATELY

Slenderline 16

Colour	Fineline	APN	VPN
Classic Cream	4510530	9315384000074	SL16CC
Surfmist	0074751	9315384000791	SL16SM
Woodland Grey	4510529	9315384000067	SL16WG

Ground Mount Kit – 2.4m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510538	9315384000135	GMKCC
Surfmist	0074755	9315384000821	GMKSM
Woodland Grey	4510537	9315384000128	GMKWG

Ground Mount Kit Plated – 2.4m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510540	9315384000159	GMKPLCC
Surfmist	0074756	9315384000838	GMKPLSM
Woodland Grey	4510539	9315384000142	GMKPLWG




Woodland Grey model shown

Slenderline 20

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Suitable for very long narrow areas
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 3390mm x 610mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm




SUITS 1-2 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



AVAILABLE SEPARATELY

Slenderline 20

Colour	Fineline	APN	VPN
Classic Cream	4510532	9315384000098	SL20CC
Surfmist	0074752	9315384000807	SL20SM
Woodland Grey	4510531	9315384000081	SL20WG

Ground Mount Kit – 3.3m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510547	9315384000210	GMKSL20CC
Surfmist	0074759	9315384000869	GMKSL20SM
Woodland Grey	4510546	9315384000203	GMKSL20WG

Ground Mount Kit Plated – 3.3m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510549	9315384000234	GMKSL20PLCC
Surfmist	0074760	9315384000876	GMKSL20PLSM
Woodland Grey	4510548	9315384000227	GMKSL20PLWG




Classic Cream model shown

Unit Line

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Perfect for a small courtyard, apartment, balcony, garage, verandah or carport
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 1400mm x 935mm x 240mm
- ✓ Carton dimensions: 1550mm x 230mm x 65mm



SUITS 1-2 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



AVAILABLE SEPARATELY

Unit Line

Colour	Fineline	APN	VPN
Classic Cream	4510534	9315384000111	UNCC
Surfmist	0074753	9315384000814	UNSM
Woodland Grey	4510533	9315384000104	UNWG

Ground Mount Kit – 1.3m (for soil installations)

Colour	Fineline	APN	VPN
Classic Cream	4510542	9315384000173	GMKUNCC
Surfmist	0074757	9315384000845	GMKUNSM
Woodland Grey	4510541	9315384000166	GMKUNWG

Ground Mount Kit Plated – 1.3m (for hard surface installations)

Colour	Fineline	APN	VPN
Classic Cream	4510545	9315384000197	GMKUNPLCC
Surfmist	0074758	9315384000852	GMKUNPLSM
Woodland Grey	4510543	9315384000180	GMKUNPLWG



Surfmist model shown

Indoor/Outdoor

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Cords are easily tightened using Patented Tension Lock
- ✓ Mini clothes line for the smallest spaces – will fit discreetly over a bench or laundry tub
- ✓ Pre-assembled side arms allow for easy DIY
- ✓ Front bar length may be reduced during installation to fit smaller space
- ✓ Lines are spaced 65mm apart
- ✓ Assembled dimensions: 1260mm x 600mm x 240mm
- ✓ Carton dimensions: 725mm x 204mm x 70mm

Indoor/Outdoor

Colour	Fineline	APN	VPN
Surfmist	0074754	9315384001132	INDSM




SUITS 1-2 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS




WEIGHT



NUMBER OF LINES



EASILY FOLDS DOWN FLAT



Classic Cream models shown

Ground Mount Kit Options

Ground Mount Kits are available as standard **Ground Mount Kits** for soil installations, or as **Plated Ground Mount Kits** for hard surface fixing i.e. cement slab, decking etc. if structurally sound.

- ✓ Includes 2 standard or plated Posts (depending on model) and supporting Back Bar
- ✓ Fasteners to secure Austral Fold Down
- ✓ Plated Ground Mount Kits are suitable for hard surface fixing
- ✓ Austral's multi-punched Ground Mount Kit allows for flexible height adjustment
- ✓ Ideal for DIY installations
- ✓ Retirement and tenanted facilities – where residents differ in height
- ✓ Builder installations – where resident's height is not known

Please note: The back bar may be reduced in length to fit into shorter spaces during installation if required. Installer will need to cut excess off one end of back bar and drill 1 hole. Please refer to Fold Down instructions on how to shorten the Front Bar(s).

1.3m Ground Mount Kits

For use with:

- ✓ Unit Line (see page 11)

2.4m Ground Mount Kits

For use with:

- ✓ Add-A-Line (see page 5)
- ✓ Standard (see page 6)
- ✓ Compact (see page 7)
- ✓ Slenderline 16 (see page 9)

3.3m Ground Mount Kits

For use with:

- ✓ Compact 39 (see page 8)
- ✓ Slenderline 20 (see page 10)



Multi-Punched for flexible use

AustralTM

Retract Away Clothes Lines



Classic Cream model shown

Features and Benefits

- ✓ Aesthetically discreet
- ✓ 5 lines with wide spacing
- ✓ Easy DIY installation
- ✓ Min. distance 2m
- ✓ Max. distance 8m or 10m

Available colours



CLASSIC CREAM



WOODLAND GREY


COLORBOND® steel and ® colour names and ™ colour names are trademarks of BlueScope® Steel Limited.



Clothes lines that extend up to 8 or 10m


A discreet clothes line suitable for long, narrow areas.
Lines may be retracted into the cabinet when not in use.

Mounting options




Wall to Wall

- ✓ 1 x Retract Away 40 or 50 Cabinet



Wall to Post

- ✓ 1 x Retract Away 40 or 50 Cabinet
- ✓ 1 x Post (standard or plated)
- ✓ 1 x Socket (optional)



Post to Wall

- ✓ 1 x Retract Away 40 or 50 Cabinet
- ✓ 1 x Mounting Bar
- ✓ 1 x Post (standard or plated)
- ✓ 1 x Socket (optional)



Post to Post

- ✓ 1 x Retract Away 40 or 50 Cabinet
- ✓ 1 x Mounting Bar
- ✓ 2 x Post (standard or plated)
- ✓ 1 x Socket (optional)

- ✓ When fixing to alternative surfaces such as weatherboard, fibro, blueboard etc. fix directly to the stud – alternatively support battens should be used
- ✓ For greater stability, the Post fitted with Cabinet should be cemented into soil
- ✓ Ground Socket is only required if Post is to be removable
- ✓ Each Plated Post 4x M6 Galvanised masonry screws/screw bolts
Minimum embedment 45mm (replaces concrete and gravel)

Please refer to page 17 for further mounting requirements.



Woodland Grey model shown

Retract Away 40

- ✓ 100% Australian Made using Australian materials and labour
- ✓ May be installed from a minimum of 2m to a maximum of 8m
- ✓ May be installed wall to wall, wall to post, post to wall or post to post
- ✓ 5 Lines are 150mm apart and offer up to 40m line space
- ✓ Cord will flex through centre (refer to instructions to ensure correct height installation)
- ✓ Assembled dimensions: 820mm x 125mm x 170mm
- ✓ Carton dimensions: 840mm x 190mm x 130mm

Retract Away 40

Colour	Fineline	APN	VPN
Classic Cream	4510551	9315384000258	RA40CC
Woodland Grey	4510550	9315384000241	RA40WG

Retract Away Post Pack

Colour	Fineline	APN	VPN
Classic Cream	4510556	9315384000296	RAPOSTCC
Woodland Grey	4510555	9315384000289	RAPOSTWG

Retract Away Post Plated

Colour	Fineline	APN	VPN
Classic Cream	4510558	9315384000319	RAPOSTPLCC
Woodland Grey	4510557	9315384000302	RAPOSTPLWG

Retract Away Mount Bar

Colour	Fineline	APN	VPN
Classic Cream	4510561	9315384000333	RAMBARCC
Woodland Grey	4510559	9315384000326	RAMBARWG

Ground Socket

Colour	Fineline	APN	VPN
Black	4514213	9315384400089	GSKT



SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED




CABINET SIZE



WEIGHT



NUMBER OF LINES



GROUND SOCKET
OPTIONAL



*OPTIONAL
PLATED OR
IN-GROUND
POST
AVAILABLE
SEPARATELY



Classic Cream model shown

Retract Away 50

- ✓ 100% Australian Made using Australian materials and labour
- ✓ May be installed from a minimum of 2m to a maximum of 10m
- ✓ May be installed wall to wall, wall to post, post to wall or post to post
- ✓ 5 Lines are 150mm apart and offer up to 50m line space
- ✓ Cord will flex through centre (refer to instructions to ensure correct height installation)
- ✓ Assembled dimensions: 820mm x 125mm x 170mm
- ✓ Carton dimensions: 840mm x 190mm x 130mm

Retract Away 50

Colour	Fineline	APN	VPN
Classic Cream	4510554	9315384000272	RA50CC
Woodland Grey	4510553	9315384000265	RA50WG

Retract Away Post Pack

Colour	Fineline	APN	VPN
Classic Cream	4510556	9315384000296	RAPOSTCC
Woodland Grey	4510555	9315384000289	RAPOSTWG

Retract Away Post Plated

Colour	Fineline	APN	VPN
Classic Cream	4510558	9315384000319	RAPOSTPLCC
Woodland Grey	4510557	9315384000302	RAPOSTPLWG

Retract Away Mount Bar

Colour	Fineline	APN	VPN
Classic Cream	4510561	9315384000333	RAMBARCC
Woodland Grey	4510559	9315384000326	RAMBARWG

Ground Socket

Colour	Fineline	APN	VPN
Black	4514213	9315384400089	GSKT




SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED




CABINET SIZE



WEIGHT



NUMBER OF LINES



GROUND SOCKET
OPTIONAL



*OPTIONAL
PLATED OR
IN-GROUND
POST
AVAILABLE
SEPARATELY

Retract Away Mounting Options

Wall to Wall

Products required

- ✓ 1x Retract Away 40 or 50 Cabinet

Fittings supplied

- ✓ **Cabinet:** Catch (Hook), 2x ZP washers

You will require

- ✓ **For masonry walls:** 4x 8x75mm screws, 4x 10x75mm plugs
- ✓ **For timber walls:** 8x75mm screws, 10mm drill bit

Wall to Post

Products required

- ✓ 1x Retract Away 40 or 50 Cabinet, 1x Post, Ground Socket optional

Fittings supplied

- ✓ **Cabinet:** Catch (Hook), 2x ZP washers
- ✓ **Post:** 2 x M8x65mm Hex head bolts, 2 x M8 Hex nuts, Post Cap

You will require

- ✓ **For masonry walls:** 2 x 8x75mm screws, 2x 10x75mm plugs, 10mm drill bit
- ✓ **For timber walls:** 2 x 8x75mm screws
- ✓ **For Post:** Concrete mix, gravel, 2x 13mm spanners/shifters
- ✓ **For Plated Post:** 4 x M6 Galvanised masonry screws/screw bolts (per post)

Post to Wall

Products required

- ✓ 1x Retract Away 40 or 50 Cabinet, 1x Post, 1x Mounting Bar, Ground Socket optional

Fittings supplied

- ✓ **Cabinet:** Catch (Hook), 2x ZP washers
- ✓ **Post:** 2x M8x65mm Hex head bolts, 2x M8 Hex nuts and Post Cap
- ✓ **Mounting Bar:** 2x 8x90 Hex bolts and nuts, 2x M8x40 Hex bolts and nuts, 4x washers

You will require

- ✓ **For masonry walls:** 2x 8x75mm screws, 2x 10x75mm plugs, 10mm drill bit
- ✓ **For timber walls:** 2x 8x75mm screws
- ✓ **For Post:** Concrete mix, gravel, 2x 13mm spanners/shifters
- ✓ **For Plated Post:** 4 x M6 Galvanised masonry screws/screw bolts (per post)

Post to Post

Products required

- ✓ 1x Retract Away 40 or 50 Cabinet, 2x Posts, 1x Mounting Bar, Ground Socket optional

Fittings supplied

- ✓ **Cabinet:** Catch (Hook), 2x ZP washers
- ✓ **Post:** 2x M8x65mm Hex head bolts, 2x M8 Hex nuts and Post Cap.
- ✓ **Mounting Bar:** 2x 8x90 Hex bolts and nuts, 2x M8x40 Hex bolts and nuts, 4x washers

You will require


- ✓ **For Posts:** Concrete mix, gravel, 2x 13mm spanners/shifters
- ✓ **For Plated Posts:** 4 x M6 Galvanised masonry screws/screw bolts (per post)



↑ Retract Away 40 or 50 Cabinet



← Retract Away Catch
Galvanised finish



Welded Plate Base:
100mmW x 150mmD x 6mmH
Each plate requires 4 x M6 Galu.
masonry screws/screw bolts.
Min. embedment 45mm

← Retract Away Post and
Retract Away Plated Post



← **Ground Socket**
with galvanised
Pin and Cap

The galvanised Pin is punched through the side of the Ground Socket, to set the height of Retract Away Posts and Fold Away Columns



↑ Mounting Bar



Woodland Grey models shown

Austral[™] Fold Away Rotaries



Heritage Green model shown

Features and Benefits

- ✓ Pre-corded
- ✓ Easy DIY installation
- ✓ Galuabond[®] Steel construction
- ✓ Easily folded for removal
- ✓ Ground socket included

Available colours



CLASSIC
CREAM



WOODLAND
GREY



HERITAGE
GREEN

COLORBOND[®] steel and
® colour names and [™] colour
names are trademarks of
BlueScope[®] Steel Limited.



For the largest of family wash loads

Austral's Fold Away Rotaries are manufactured using BlueScope[®] Galuabond[®] Steel in three colours. The Fold Aways are easily folded and removed from the Ground Socket when required.

- ✓ Fold Away head sections are pre-corded and fully assembled
- ✓ Head Section is easily inserted into the one piece Helical Column
- ✓ Ground Socket, Galvanised Pin and Cap are included
- ✓ Ground Socket is also available as a spare part, for a second installation point
- ✓ Arms slant slightly upwards from the centre Helical Column
(please refer to the installation guide to determine correct height setting)



Woodland Grey model shown

Fold Away 45

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Pre-corded for easy DIY
- ✓ Outer cord length is 2280mm
- ✓ Refer to instructions for height guide – arms slope upwards
Outer Line is 125mm higher than inner line
- ✓ Ground Socket, Galvanised Pin and Cap included
- ✓ Remove Rotary from ground socket regularly, to ensure it is kept free from soil
- ✓ Folded dimensions: 3300mm x 3300mm x 2930mm
- ✓ Carton dimensions: 2150mm x 250mm x 180mm
- ✓ Assembled dimensions 3300mm x 3300mm x 2430mm (column length)

Fold Away 45

Colour	Fineline	APN	VPN
Classic Cream	4510575	9315384000357	FA45CC
Woodland Grey	4510562	9315384000340	FA45WG
Heritage Green	4514409	9315384100026	FA45GR


Ground Socket

Colour	Fineline	APN	VPN
Black	4514213	9315384400089	GSKT

The galvanised Pin may be punched through various pre-set positions to set the height of the Fold Away Rotary or the Retract Away Post. Please see instructions for further information.




SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



GROUND SOCKET
OPTIONAL



PRE-CORDED



Classic Cream model shown

Fold Away 51

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Pre-corded for easy DIY
- ✓ Outer cord length is 2570mm
- ✓ Refer to instructions for height guide – arms slope upwards
Outer Line is 125mm higher than inner line
- ✓ Ground Socket, Galvanised Pin and Cap included
- ✓ Remove Rotary from ground socket regularly, to ensure it is kept free from soil
- ✓ Folded dimensions: 3800mm x 3800mm x 3150mm
- ✓ Carton dimensions: 2150mm x 250mm x 180mm
- ✓ Assembled dimensions 3300mm x 3300mm x 2430mm (column length)

Fold Away 51

Colour	Fineline	APN	VPN
Classic Cream	4510564	9315384000371	FA51CC
Woodland Grey	4510563	9315384000364	FA51WG
Heritage Green	4514001	9315384100019	FA51GR


Ground Socket

Colour	Fineline	APN	VPN
Black	4514213	9315384400089	GSKT

The galvanised Pin may be punched through various pre-set positions to set the height of the Fold Away Rotary or the Retract Away Post. Please see instructions for further information.




SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED




DIMENSIONS



WEIGHT



NUMBER OF LINES



GROUND SOCKET
OPTIONAL



PRE-CORDED

AustralTM

Fixed Rotaries



Galvanised model shown

Features and Benefits

- ✓ Galuabond[®] Steel construction
- ✓ 4, 5 or 6m models
- ✓ Super models offer a traditional alloy gear case
- ✓ Deluxe models have a plastic gear case assembly
- ✓ Galvanised Wire
- ✓ Full assembly required

Available colours



GALVANISED



HERITAGE GREEN

COLORBOND[®] steel and [®] colour names and [™] colour names are trademarks of BlueScope[®] Steel Limited.

Not all products are available in all colours (see individual product information for colours available).



The original galvanised rotary hoist

Whether for commercial or residential use, the Fixed Rotary offers the strength and reliability associated with washing lines of yesteryear. Ideal for virtually maintenance free situations.

- ✓ Rotaries are manufactured using BlueScope[®] Galuabond[®] Steel Tube
- ✓ Galvanised Wire is threaded through pre-punched arm holes
- ✓ Full assembly is required for permanently fixed Rotaries
- ✓ The Deluxe Rotaries feature a one piece Column with plastic gear case
- ✓ The Elite is a powder coated Deluxe Rotary
- ✓ The Super Rotaries feature a two piece Column with alloy gear case



Heritage Green model shown

Elite 4

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Powdercoated Deluxe Rotary
- ✓ Permanently fixed
- ✓ One piece helical column with plastic gear case and galvanised wire
- ✓ Outer line measures 2820mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Top Cap, Cross and Reducer are not powdercoated
- ✓ Assembled dimensions: 4000mm x 4000mm x 2625mm
- ✓ Carton dimensions: 2690mm x 300mm x 140mm

Elite 4

Colour	Fineline	APN	VPN
Heritage Green	4514425	9315384700196	ELITE



SUITS 1-5 PEOPLE



CORD LENGTH



AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT



FULL ASSEMBLY
REQUIRED



Galvanised model shown

Deluxe 4

- ✓ 100% Australian Made using Australian materials and labour
- ✓ All the features of a traditional galvanised rotary
- ✓ Permanently fixed
- ✓ One piece helical column with plastic gear case and galvanised wire
- ✓ Outer line measures 2820mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Assembled dimensions: 4000mm x 4000mm x 2625mm
- ✓ Carton dimensions: 2690mm x 300mm x 140mm

Deluxe 4

Colour	Fineline	APN	VPN
Galvanised	4510566	9315384500215	DEL4




SUITS 1-5 PEOPLE



CORD LENGTH




AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT

FULL ASSEMBLY
REQUIRED



Galvanised model shown

Deluxe 5


- ✓ 100% Australian Made using Australian materials and labour
- ✓ All the features of a traditional galvanised rotary
- ✓ Permanently fixed
- ✓ One piece helical column with plastic gear case and galvanised wire
- ✓ Outer line measures 3490mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Assembled dimensions: 5000mm x 5000mm x 2625mm
- ✓ Carton dimensions: 2690mm x 300mm x 140mm

Deluxe 5

Colour	FineLine	APN	VPN
Galvanised	4514174	9315384500222	DELS




SUITS 1-6 PEOPLE



CORD LENGTH




AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT



FULL ASSEMBLY
REQUIRED



Galvanised model shown

Super 4


- ✓ 100% Australian Made using Australian materials and labour
- ✓ Heavy duty traditional galvanised rotary
- ✓ Permanently fixed
- ✓ Two piece column with heavy duty alloy gear case and galvanised wire
- ✓ Outer line measures 2820mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Assembled dimensions: 4000mm x 4000mm x 2625mm
- ✓ Carton dimensions: 2690mm x 300mm x 140mm

Super 4

Colour	FineLine	APN	VPN
Galvanised	4510565	9315384500185	SUPER4




SUITS 1-5 PEOPLE



CORD LENGTH



AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT



FULL ASSEMBLY REQUIRED



Galvanised model shown

Super 5


- ✓ 100% Australian Made using Australian materials and labour
- ✓ Heavy duty traditional galvanised rotary
- ✓ Permanently fixed
- ✓ Two piece column with heavy duty alloy gear case and galvanised wire
- ✓ Outer line measures 3490mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Assembled dimensions: 5000mm x 5000mm x 2640mm
- ✓ Carton dimensions: 2690mm x 300mm x 140mm

Super 5

Colour	Fineline	APN	VPN
Galvanised	4512211	9315384500192	SUPER5



SUITS 1-6 PEOPLE



CORD LENGTH



AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT



FULL ASSEMBLY REQUIRED



Galvanised model shown

Super 6

- ✓ 100% Australian Made using Australian materials and labour
- ✓ Heavy duty traditional galvanised rotary
- ✓ Permanently fixed
- ✓ Two piece column with heavy duty alloy gear case and galvanised wire
- ✓ Outer line measures 4120mm
- ✓ Full assembly required
- ✓ Wire is threaded through pre-punched arm holes
- ✓ Assembled dimensions: 6000mm x 6000mm x 2640mm
- ✓ Carton dimensions: 3000mm x 3000mm x 140mm

Super 6

Colour	FineLine	APN	VPN
Galvanised	4512229	9315384500208	SUPER6




SUITS 1-6+ PEOPLE



CORD LENGTH



AREA REQUIRED



DIMENSIONS



WEIGHT



NUMBER OF LINES



2 PERSON LIFT



FULL ASSEMBLY
REQUIRED

40m PVC Cord

Suitable for all Fold Down Lines

Colour	Fineline	APN	VPN
Cream	4510568	9315384000388	CORD40CREAM
Grey	4510569	9315384000418	CORD40GREY

60m PVC Cord

Suitable for all Fold Away Rotary Lines

Colour	Fineline	APN	VPN
Cream	4510570	9315384000395	CORD60CREAM
Grey	4510571	9315384000425	CORD60GREY

450m PVC Cord (roll)

Ideal for contractors cut length sales

Colour	Fineline	APN	VPN
Cream	4510572	9315384000401	CORD450CREAM
Grey	4510573	9315384000432	CORD450GREY

Ground Socket

Suitable for use with Fold Away 45 and 51 Rotaries and Retract Away Posts

Colour	Fineline	APN	VPN
Black	4514213	9315384400089	GSKT

The galvanised Pin may be punched through various pre-set positions to set the height of the Fold Away Rotary or the Retract Away Post. Please refer to instructions for further information.

Fold Away Retainer Clips 14 pack – 12 internal and 2 external

Suitable for Fold Away 45 and Fold Away 51

Colour	Fineline	APN	VPN
Black	4510577	9315384400249	FACLIP14

Fold Away Retainer Clips 8 pack – 6 internal and 2 external

Suitable for Fold Away 45 and Fold Away 51 models

Colour	Fineline	APN	VPN
Black	4513924	9315384400140	FACLIP8

Fold Away Head Section Plastics Set

Suitable for Fold Away 45 and 51 models

Set includes: Top Cap, Cross, Bush, Reducer, Latch and Retainer Clip

Colour	Fineline	APN	VPN
Black	N/A	9315384001040	FAHSPLASTICS



↑ 40m/60 PVC Cord in Cream and Grey



↑ 450m PVC Cord Cream and Grey 450m



← Ground Socket with galvanised Pin and Cap

↓ External Clips for use on outside line only



↑ Internal Clips for use on all internal lines



↑ Fold Away Head Section Plastics Set Pictured L-R: Top Cap (Top View), Top Cap (Bottom View), Cross, Bush, Reducer, Latch and Retainer Clip

Helical Handle Assembly (complete)

Suitable for Fold Away 45 and 51, Deluxe 4 and 5, Elite 4, Special 4 and Ezy Fold

Colour	Fineline	APN	VPN
Black	4510579	9315384100408	FAHAND/ASS



Fixed Rotary Top Cap

Suitable for Elite, Deluxe and Super Rotaries

Colour	Fineline	APN	VPN
Natural Cast Aluminium	N/A	9315384001187	R/TOPCAP

Fixed Rotary Top Cap Top



Fixed Rotary Top Cap Bottom

Fixed Rotary Cross

Suitable for Elite, Deluxe and Super Fixed Rotaries

Colour	Fineline	APN	VPN
Natural Cast Aluminium	N/A	9315384001057	R/CROSS



Fixed Rotary Cross

Fixed Rotary Front Pinion Case Assembly inc. Handle

Suitable for Super Fixed Rotaries

Colour	Fineline	APN	VPN
Natural Cast Aluminium	N/A	9315384000951	R/CA



Fixed Rotary Front Pinion Case Assembly with galvanised Nuts and Bolts

Fixed Rotary Plain Case

Suitable for Super Fixed Rotaries

Colour	Fineline	APN	VPN
Natural Cast Aluminium	N/A	9315384000968	R/CPL



Fixed Rotary Plain Case

Retract Away Accessory Pack

Includes Catch and Washers

Colour	Fineline	APN	VPN
Galvanised	N/A	9315384001279	RAACCPK



Retract Away Accessory Pack Catch

Retract Away Right Hand Side Assembly

Requires technical instruction

Colour	Fineline	APN	VPN
Black	N/A	9315384001286	RARHS/ASS

Retract Away Right Hand Side Assembly External View



Retract Away Right Hand Side Assembly Internal View

Wire 50m

Suitable for 40m Rotaries: Elite 4, Deluxe 4 and Super 4 Fixed Rotaries

Colour	Fineline	APN	VPN
Galvanised	4510574	9315384400102	WIRE50



Wire 50m

Wire 70m

Suitable for 50m and 60m Rotaries: Deluxe 5, Super 5 and 6 Fixed Rotaries

Colour	Fineline	APN	VPN
Galvanised	4510576	9315384400034	WIRE70



Wire 70m

For further information, please contact your State Distributor (see page 31).



Frequently Asked Questions



Why should I buy an Austral Clothes Line rather than another Brand?

Austral's Clothes Lines offer a greater choice of styles with more line space for greater drying flexibility. You can reduce your carbon footprint by buying an Austral Clothes Line too. Not only are Austral Clothes Lines manufactured right here in Australia, they're built to last in Australia's harsh climate. Even the price will surprise you – Austral Clothes Lines cost about the same as some imported brands!

What percentage of Austral's Clothes Lines are Australian made?

100% of Austral's Clothes Lines and Accessories are Australian Made in our own Victorian factory using all Australian labour. All steel, plastic, wire and cord are manufactured in Australia to Austral's own Specifications to ensure Austral Clothes Lines remain a durable product in your backyard.

Do Austral products carry a Warranty?

Yes. Austral Clothes Lines offers a 20 year structural guarantee. Austral guarantees the tubular frame against breakage caused from rust and distortion on all Galvalabond® products given fair wear and tear. All Austral's Clothes Lines are manufactured using Galvalabond® steel to ensure long term protection from the elements.

Can I install a Fold Down Wall Mount on my wall if the wall is shorter than the length of your clothes line?

Yes. All Austral Fold Down Clothes Lines have tubular steel front bars which may be easily reduced in length with a hack saw or angle grinder. Reduce the front bar by the required length prior to inserting into pre-assembled side arms during installation.

At what height should I install my clothes line?

The general recommendation for a Fold Down Wall Mount, is to fix the wall bracket's top bolt approximately 50mm above the user's head height. Consideration may need to be given to taller family/friends if they help to hang the washing out, or the Fold Down Wall Mount is to be installed in a walkway.

How easily can I get spare parts?

Austral's Clothes Lines are made in Australia so spare parts are readily available for all models.

I don't want a clothes line in my back yard. Can I put one down the side of the house?

Yes. Austral manufactures one of the narrowest Fold Downs available. Most side paths are only 800-900mm wide. The Austral Slenderlines are only 59cm deep and will easily fit into a narrow side path. Both the Slenderline 16 and 20 may be wall mounted or free-standing.

I have a cement path down the side of my home and not enough wall space to place a Fold Down. Is there an alternative?

Yes. Austral manufactures Fold Down Ground Mount Kits (for the rectangular framed lines) and Retract Away Posts with welded metal base plates. These plated kits are pre-drilled and powdercoated for direct fixing onto cement slab/path and tiled floors etc. The alternative is to core drill a neat hole in which you can install the upright legs or rotary column. This is generally not an alternative for upper level dwellings.

Can I install a clothes line on my garage/shed wall?

As long as you have sufficient structural support on the intended wall you can install a clothes line directly on the wall. You may need to install the clothes line using a Ground Mount Kit near the garage/shed if there is not sufficient structural support.

Can I install a clothes line on a blue sheet wall?

Yes as long as there is sufficient structural support. If you are about to renovate or your home is at planning stage, you could allow for additional structural support to suit your choice of clothes line.

Can I install a clothes line directly onto a fence?

That depends on several factors. Firstly, it is recommended you check with your local Council (or Strata Corp.) if there are any regulations governing the installation directly onto a fence in your area. The fence posts would need to be very strong and well supported – your neighbour is likely to hold you responsible if the fence collapses. A Colourbond fence is not suitable for direct fixing. It is advisable to install a Ground Mount Kit as close as possible to the fence to ensure adequate support.

I love my Rotary Clothes Line but I'm worried about down sizing to a Fold Down. How does line space compare?

Yes the Fold Downs do hold less washing than the traditional Rotary but Austral's Fold Downs do have more line space than other Brands. Austral's Add-A-Line Fold Down holds a massive 35.7m of line space – that's approximately $\frac{3}{4}$ the line space of a Rotary! Even the Standard and Compact Fold Downs hold 28.5m. If you do a lot of washing at once – for example on your one day off – you could install 2 Fold Downs side by side. That would be equivalent to the largest of Rotaries.

My partner has arthritis. How easy is it to operate your Fold Down Lines?

The Austral Fold Downs have a one-handed operation to raise or lower the frame. Pull up with one hand on the centre front bar until the line locks into position. Push up firmly to release the catch and allow the line to fold down.

Why is the recommended area greater than the clothes line size?

You should allow approximately 25-30cm extra depth for operational ease of a Fold Down. A Rotary requires a little more room around the exterior line. This allows sheets, blankets etc. to blow in the wind without brushing against shrubbery or fences.

I want a second clothes line for wet weather drying. What options do I have?

You have several options. The Austral Retract Away Clothes Line is suitable for use in carports, garages and verandahs and will lock in at a minimum distance of 2m in length.

The Fold Downs range in depth from 59cm – 94cm – 150cm. They have more line space than other Fold Downs so offer far more flexibility for winter drying. The Fold Downs are suitable for internal and external use as they can fit into any distance required.

Some home owners have installed a second Ground Socket for a Fold Away Rotary under a pergola or carport. During summer the clothes are dried in the sun and during winter they move their Fold Away Rotary under cover for wet weather drying. Remember that line drying your clothes for even a few hours will save power and energy – even if you do finish them off in the electric dryer!

Why should I use an outdoor clothes line rather than my electric clothes dryer?

The obvious answer is duty to your environment. Not only do you reduce your carbon foot print significantly by line drying your clothes but you will also have much smaller power bills. Your clothes will last longer and smell fresher when line dried.

We realize it isn't always practical to dry outdoors all year around but ask you to consider an alternative greener approach. Consider a second undercover clothes line or line drying wet clothes for as long as possible before finishing damp clothes in an electric dryer.

Austral's Clothes Lines use free solar and wind energy to dry your clothes. Our clothes lines are virtually maintenance free and will continue to save you money for many years.



Austral™ State Distributors

*We have distributors in all states across Australia.
Contact us today!*

Victoria and Tasmania (Head Office)

32-34 Hydrive Close,
Dandenong South, Victoria 3175

Phone: (03) 9799 8122
Fax: (03) 9799 8266
Email: admin@australclotheshoists.com.au

South Australia

20 Sunbeam Road,
Glynde, South Australia 5070

Phone: (08) 8337 4445
Fax: (08) 8337 4447
Email: sa@australclotheshoists.com.au

Queensland

8/24 Palings Court,
Nerang, Queensland 4211

Phone: (07) 5596 2520
Fax: (07) 5596 0667
Email: qld@australclotheshoists.com.au

Western Australia

Unit 3, 12-14 Panama Street,
Canning Vale, Western Australia 6155

Phone: (08) 9455 1985
Fax: (08) 9455 4426
Email: wa@australclotheshoists.com.au

New South Wales and ACT

P.O. Box 380, Cammeray,
New South Wales 2062

Mobile: (02) 9958 1533
Phone/Fax: (02) 9958 1588
Email: nsw@australclotheshoists.com.au

Northern Territory

One Construction Supplies,
Winnellie, Northern Territory 0821

Mobile: 0448 775 081



**SPECIAL
ORDERS**



Austral Clothes Lines is the only clothes line brand continuing to support Australian Industry through the manufacture of all products in Australia.

Victoria / Tasmania (Head Office)

(03) 9799 8122

Queensland

(07) 5596 2520

New South Wales / ACT

(02) 9958 1533

South Australia

(08) 8337 4445

Western Australia

(08) 9455 1985

Northern Territory

0448 775 081

Available at
BUNNINGS
warehouse



australclotheslines.com.au

ach-mc-2018-10-V1