

SAFETY DATA SHEET

Product Name

LOSP OPTIMUM TREATED TIMBER

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name

KOPPERS PERFORMANCE CHEMICALS AUSTRALIA PTY LTD

Address

Cafpirco Road, Mount Gambier, SA, 5290, AUSTRALIA

Telephone

(08) 8723 1399

Fax

(08) 8723 0010

Emergency

1800 088 809

Email

kpc.admin@koppers.com.au

Web site

www.kopperspc.com.au

Synonym(s)

LOSP H3 TREATED PINE

Use(s)

TIMBER

SDS date

12 December 2014

2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

Risk Phrases

None allocated

Safety Phrases

None allocated

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number

None Allocated

Transport Hazard Class

None Allocated

Packing Group

None Allocated

Hazchem Code

None Allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content	
PERMETHRIN	52645-53-1	258-067-9	<0.1%	
PROPICONAZOLE	60207-90-1	262-104-4	<0.1%	
TEBUCONAZOLE	107534-96-3	403-640-2	<0.1%	
WOOD	. -	,	>97.5%	
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	<1%	

4. FIRST AID MEASURES

Exposure is considered unlikely unless dust is generated. Hold eyelids apart and flush the eye Eye

continuously with running water for at least 15 minutes.

Due to product form / nature of use, an inhalation hazard is not anticipated (unless sanding and Inhalation

creating wood dust).

Due to product form, acute skin hazards are not anticipated. If irritation occurs, seek medical advice. Skin

For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Ingestion

Due to product form and application, ingestion is considered unlikely.

Advice to doctor Treat symptomatically.

ChemAlert.

Page 1 of 5 12 Dec 2014

5. FIRE FIGHTING MEASURES

Flammability Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

Finely divided dust may form explosive mixtures with air. May evolve metal oxides when heated to

decomposition.

Fire and explosion Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation.

Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers

and nearby storage areas.

Extinguishing Water spray or fog, for large quantities. Prevent contamination of drains and waterways.

Hazchem code None Allocated

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

Environmental precautions Prevent product from entering drains and waterways.

Methods of cleaning up If spilt, collect and reuse where possible.

References See Sections 8 and 13 for exposure controls and disposal.

7. STORAGE AND HANDLING

Storage Store in a cool, dry area.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid

eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before

eating. Prohibit eating, drinking and smoking in contaminated areas.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards

Ingredient	Reference	TWA		STEL	
nigredient	Kelefelice	ppm	mg/m³	ppm	mg/m³
Wood dust (certain hardwoods such as beech & oak)	SWA (AUS)		1		40.00
Wood dust (soft wood)	SWA (AUS)		5		10

Biological limits No biological limit allocated.

Engineering controls Avoid inhalation. Use in well ventilated areas. If sanding, drilling or cutting, use appropriate local

extraction ventilation.

PPE

Eye / Face Wear dust-proof goggles.

Hands Wear leather or cotton gloves.

Body Not required under normal conditions of use.

Respiratory If cutting or sanding with potential for dust generation, wear a Class P1 (Particulate) respirator.





9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odour DRESSED OR NATURAL TIMBER SLIGHT SOLVENT ODOUR

Flammability COMBUSTIBLE

Product Name LOSP OPTIMUM TREATED TIMBER

Flash point **NOT AVAILABLE Boiling** point **NOT AVAILABLE** Melting point **NOT AVAILABLE** Evaporation rate **NOT AVAILABLE** рΗ **NOT AVAILABLE** Vapour density NOT AVAILABLE Specific gravity NOT AVAILABLE Solubility (water) **INSOLUBLE** NOT AVAILABLE Vapour pressure Upper explosion limit NOT AVAILABLE Lower explosion limit NOT AVAILABLE Partition coefficient NOT AVAILABLE Autoignition temperature NOT AVAILABLE **Decomposition temperature NOT AVAILABLE NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE** Oxidising properties **Odour threshold NOT AVAILABLE** % Volatiles **NOT AVAILABLE**

10. STABILITY AND REACTIVITY

Chemical stability Stable under recommended conditions of storage.

Avoid heat, sparks, open flames and other ignition sources. Conditions to avoid

Material to avoid Compatible with most commonly used materials.

Hazardous Decomposition May evolve carbon oxides and hydrocarbons when heated to decomposition.

Products

Hazardous Reactions

Polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary

Low acute toxicity. This product may present a hazard if wood is sanded, drilled or cut with dust generation. Use with appropriate engineering controls (e.g. dust extraction) and safe work practices to avoid dust generation - inhalation and eye or skin contact. Wood dust is classified as carcinogenic to humans (IARC Group 1). Adverse health effects are usually associated with long-term exposure to high dust levels.

Eye

Due to product form and nature of use, the potential for exposure is reduced. Product may only present a hazard if wood is cut or sanded with dust generation, which may result in lacrimation and

Due to product form and nature of use, the potential for exposure is reduced. An inhalation hazard is Inhalation not anticipated unless cut, drilled or sanded with dust generation, which may result in irritation of the nose and throat. Chronic exposure to wood dust may result in result in nasal and paranasal sinus

cancers (IARC Group 1).

Low irritant, Prolonged or repeated exposure to dust may result in irritation and dermatitis. Skin

Ingestion is considered unlikely due to product form. Ingestion

Toxicity data

PERMETHRIN (52645-53-1)

LC50 (inhalation) 485 mg/m³ (rat) LD50 (ingestion) 383 mg/kg (rat) 429 mg/kg (mouse) LD50 (intraperitoneal) LD50 (intravenous) 31 mg/kg (mouse) LD50 (skin) 1750 mg/kg (rat) LD50 (subcutaneous) 6600 mg/kg (rat)

PROPICONAZOLE (60207-90-1)

LD50 (ingestion) 1517 mg/kg (rat) LD50 (skin) > 4000 mg/kg (rat)

TEBUCONAZOLE (107534-96-3)

LC50 (inhalation) > 800 mg/m³/4hrs (rat) LD50 (ingestion) 2000 mg/kg (mouse) LD50 (skin). > 5000 mg/kg (rat)



Product Name

LOSP OPTIMUM TREATED TIMBER

12. ECOLOGICAL INFORMATION

Toxicity

No information provided.

Persistence and degradability No information provided.

Bioaccumulative potential

No information provided.

Mobility in soil

No information provided.

Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

Waste disposal

Dispose of to an approved landfill or waste processing site. Contact the manufacturer/supplier for

additional information (if required).

Legislation

Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE. IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	None Allocated	None Allocated	None Allocated
Proper Shipping Name	None Allocated	None Allocated	None Allocated
Transport Hazard Class	None Allocated	None Allocated	None Allocated
Packing Group	None Allocated	None Allocated	None Allocated

Environmental hazards

No information provided

Special precautions for user

Hazchem code

None Allocated

15. REGULATORY INFORMATION

Poison schedule

Classified as a Schedule 6 (S6) Standard for the Uniform Scheduling of Medicines and Poisons

(SUSMP).

Inventory Listing(s)

AUSTRALIA: AICS (Australian Inventory of Chemical Substances)

All components are listed on AICS, or are exempt.

16. OTHER INFORMATION

Additional information

Koppers Performance Chemicals Australia Pty Ltd DO NOT SUPPLY LOSP TREATED TIMBER. THIS IS TREATED AND DISTRIBUTED BY INDEPENDENT TIMBER TREATERS, THIS SDS SHOULD ONLY BE USED AS A GUIDE.

Do not burn treated timber. Do not use treated timber as mulch.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

ChemAlert.

Page 4 of 5

Product Name

LOSP OPTIMUM TREATED TIMBER

TWA

HEALTH EFFECTS FROM EXPOSURE:

Time Weighted Average

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

American Conference of Governmental Industrial Hygienists **ACGIH** Chemical Abstract Service number - used to uniquely identify chemical compounds CAS# CNS Central Nervous System EC No - European Community Number EC No. Globally Harmonized System **GHS** International Agency for Research on Cancer **IARC** Lethal Concentration, 50% / Median Lethal Concentration LC50 Lethal Dose, 50% / Median Lethal Dose LD50 Milligrams per Cubic Metre mg/m³ Occupational Exposure Limit OEL relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly pН alkaline). Parts Per Million ppm STEL Short-Term Exposure Limit STOT-RE Specific target organ toxicity (repeated exposure) Specific target organ toxicity (single exposure) STOT-SE SUSMP Standard for the Uniform Scheduling of Medicines and Poisons Safe Work Australia SWA Threshold Limit Value TLV

Revision history

Revision	Description
2.2	Standard SDS Review
2.1	Standard SDS Review
2.0	Standard SDS Review
1.1	Standard SDS Review
1.0	Initial SDS creation

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmt.com.au Web: www.rmt.com.au.

Revision: 2.2

SDS Date: 12 December 2014

End of SDS



Page 5 of 5