

Neutrog Gyganic Pellets

Neutrog Australia

Chemwatch: **41-0705** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 1

Issue Date: **31/01/2014** Print Date: **27/12/2017** S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Neutrog Gyganic Pellets
Not Available
Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Fertiliser.

Details of the supplier of the safety data sheet

Registered company name	Neutrog Australia
Address	288 Mine Road Kanmantoo SA 5252 Australia
Telephone	+61 8 8538 3500
Fax	+61 8 8538 3522
Website	Not Available
Email	Not Available

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	+61 8 8538 5077
Other emergency telephone numbers	0409728738, 131126 (AH)

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

Poisons Schedule	Not Applicable
Classification	Not Applicable

Label elements

Hazard pictogram(s)	Not Applicable
	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

Issue Date: 31/01/2014 Chemwatch: 41-0705 Page 2 of 8 Version No: 2.1.1.1 Print Date: 27/12/2017

Neutrog Gyganic Pellets

CAS No	%[weight]	Name
Not Available	30-50	chicken manure
Not Available	10-20	gyganic px
7778-80-5	10-20	potassium sulfate
7783-20-2	10-20	ammonium sulfate
7783-28-0	0-10	diammonium phosphate
Not Available	2-3	rock phosphate
7720-78-7	1-2	ferrous sulfate anhydrous
7487-88-9	1-2	magnesium sulfate, anhydrous

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: ► Immediately remove all contaminated clothing, including footwear. ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation.
Inhalation	 If furnes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	► Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. Other decomposition products include: carbon monoxide (CO) carbon dioxide (CO2) nitrogen oxides (NOx) ammonia sulfur oxides (SOx) other pyrolysis products typical of burning organic material. May emit poisonous furnes. May emit corrosive furnes.
HAZCHEM	Not Applicable

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Version No: 2.1.1.1

Page 3 of 8 Issue Date: 31/01/2014

Neutrog Gyganic Pellets Print Date: 27/12/2017

Minor Spills

Clean up all spills immediately.
Avoid contact with skin and eyes.
Wear impervious gloves and safety glasses.
Use dry clean up procedures and avoid generating dust.

Clear area of personnel and move upwind.
Alert Fire Brigade and tell them location and nature of hazard.
Control personal contact with the substance, by using protective equipment and dust respirator.
Prevent spillage from entering drains, sewers or water courses.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Limit all unnecessary personal contact. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. 			
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. 			

Conditions for safe storage, including any incompatibilities

Suitable container	Multi-ply paper bag with sealed plastic liner or heavy gauge plastic bag. NOTE: Bags should be stacked, blocked, interlocked, and limited in height so that they are stable and secure against sliding or collapse. Check that all containers are clearly labelled and free from leaks. Packing as recommended by manufacturer.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ferrous sulfate anhydrous	Iron salts, soluble (as Fe)	1 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium sulfate	Potassium sulfate (2:1); (Dipotassium sulfate)	20 mg/m3	220 mg/m3	1,300 mg/m3
ammonium sulfate	Ammonium sulfate	13 mg/m3	140 mg/m3	840 mg/m3
diammonium phosphate	Ammonium phosphate dibasic; (Diammonium phosphate)	30 mg/m3	330 mg/m3	2,000 mg/m3
ferrous sulfate anhydrous	Ferrous sulfate		41 mg/m3	250 mg/m3
magnesium sulfate, anhydrous	Magnesium sulfate (1:1)	20 mg/m3	220 mg/m3	1,300 mg/m3

Ingredient	Original IDLH	Revised IDLH
chicken manure	Not Available	Not Available
gyganic px	Not Available	Not Available
potassium sulfate	Not Available	Not Available
ammonium sulfate	Not Available	Not Available
diammonium phosphate	Not Available	Not Available
rock phosphate	Not Available	Not Available
ferrous sulfate anhydrous	Not Available	Not Available
magnesium sulfate, anhydrous	Not Available	Not Available

Exposure controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Appropriate engineering

The basic types of engineering controls are:

controls Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Personal protection









Page 4 of 8

Issue Date: 31/01/2014 Print Date: 27/12/2017 **Neutrog Gyganic Pellets**

Eye and face protection	 Safety glasses with side shields Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. OTHERWISE: Overalls. Barrier cream. Eyewash unit.
Thermal hazards	Not Available

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

^{* -} Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- Use approved positive flow mask if significant quantities of dust becomes airborne.
- Try to avoid creating dust conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Brown pellets approximately 6mm x 10mm; very slightly soluble in water.		
Physical state	Divided Solid	Relative density (Water = 1)	0.7 approx.
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Partly miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.

Issue Date: **31/01/2014**Print Date: **27/12/2017**

Neutrog Gyganic Pellets

Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

products				
SECTION 11 TOXICOLOGIC	AL INFORMATION			
Information on toxicological	effects			
Inhaled	Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.			
	Allergic responses may result from inhalation of dust or mist from these products. These range from mild to severe and may involve pneumonia.			
Ingestion	Accidental ingestion of the material may be damaging to Ingestion may result in nausea, abdominal irritation, pair			
Skin Contact	The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	The material may be irritating to the eye, with prolonged conjunctivitis.	contact causing inflammation. Repeated	or prolonged exposure to irritants may produce	
Chronic	Long term exposure to high dust concentrations may ca penetrating and remaining in the lung.	use changes in lung function i.e. pneumo	coniosis, caused by particles less than 0.5 micron	
	TOXICITY	IRRITATION		
Neutrog Gyganic Pellets	Not Available	Not Available		
	TOXICITY	IRRITATION		
potassium sulfate	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available		
potassium sunate	Oral (rat) LD50: >2000 mg/kg ^[1]			
	TOXICITY	IRRITATION		
ammonium sulfate	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available		
	Oral (rat) LD50: >2000 mg/kg ^[1]			
	TOXICITY	IRRITATION		
diammonium phosphate	dermal (rat) LD50: >5000 mg/kg ^[1]	Not Available		
	Oral (rat) LD50: >2000 mg/kg ^[1]			
	TOXICITY	IRRITATION		
ferrous sulfate anhydrous	Oral (rat) LD50: 319 mg/kg ^[2]	Not Available		
	TOXICITY	IRRITATION		
magnesium sulfate, anhydrous	dermal (rat) LD50: >2000 mg/kg ^[1]	Not Available		
	Oral (rat) LD50: >2000 mg/kg ^[1]			
Legend:	Value obtained from Europe ECHA Registered Subst data extracted from RTECS - Register of Toxic Effect of		from manufacturer's SDS. Unless otherwise specified	
POTASSIUM SULFATE	For sodium sulfate: The acute toxicity of sodium sulfate has not been establis Sodium sulfate is not irritating to the skin, and only sligh	,	, , ,	
DIAMMONIUM PHOSPHATE	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. No significant acute toxicological data identified in literature search.			
MAGNESIUM SULFATE, ANHYDROUS	Intravenous (woman) LDLo: 80 mg/kg/2m-l			
Acute Toxicity	0	Carcinogenicity	0	
Skin Irritation/Corrosion	0	Reproductivity	0	
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0	

Chemwatch: **41-0705**Version No: **2.1.1.1**

Page 6 of 8

Neutrog Gyganic Pellets

Issue Date: **31/01/2014**Print Date: **27/12/2017**

Respiratory or Skin sensitisation

Mutagenicity

Aspiration Hazard

Legend:

X – Data available but does not fill the criteria for classification

✓ – Data available to make classification
 ○ – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

	ENDPOINT	TEST DURATION (HR)	SPECIES		VALUE	SOURCE
Neutrog Gyganic Pellets	Not Available	Not Available	Not Available		Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VA	ALUE	SOURCE
	LC50	96	Fish	68	0mg/L	4
potassium sulfate	EC50	48	Crustacea	=8	890mg/L	1
	EC50	72	Algae or other aquatic plants	=2	2900mg/L	1
	ENDPOINT	TEST DURATION (HR)	SPECIES	V	ALUE	SOURCE
	LC50	96	Fish	0	.068mg/L	4
ammonium sulfate	EC50	48	Crustacea	1.	21.7mg/L	2
	NOEC	216	Fish	0	.064mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	V	ALUE	SOURC
	LC50	96	Fish	20	6.5mg/L	4
diammonium phosphate	EC50	72	Algae or other aquatic plants	>	97.1mg/L	2
	NOEC	72	Algae or other aquatic plants	3.	57mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE		SOURC
ferrous sulfate anhydrous	LC50	96	Fish	0.41mg/L		4
terrous suitate annydrous	EC50	48	Crustacea	7.2mg/L		4
	NOEC	48	Algae or other aquatic plants	0.0001260)853mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VA	LUE	SOURC
	LC50	96	Fish	28	20mg/L	4
	EC50	48	Crustacea	34	3.56mg/L	4
agnesium sulfate, anhydrous	EC50	72	Algae or other aquatic plants	=2	700mg/L	1
	EC0	72	Algae or other aquatic plants	=2	20mg/L	1
	NOEC	504	Crustacea	36	0mg/L	4

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ammonium sulfate	HIGH	HIGH
ferrous sulfate anhydrous	HIGH	HIGH
magnesium sulfate, anhydrous	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
ammonium sulfate	LOW (LogKOW = -2.2002)
ferrous sulfate anhydrous	LOW (BCF = 52)
magnesium sulfate, anhydrous	LOW (LogKOW = -2.2002)

Mobility in soil

Ingredient	Mobility
ammonium sulfate	LOW (KOC = 6.124)
ferrous sulfate anhydrous	LOW (KOC = 6.124)
magnesium sulfate, anhydrous	LOW (KOC = 6.124)

Version No: **2.1.1.1**

Neutrog Gyganic Pellets

Issue Date: **31/01/2014**Print Date: **27/12/2017**

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
- ► Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material)
- ▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

POTASSIUM SULFATE(7778-80-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

AMMONIUM SULFATE(7783-20-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

DIAMMONIUM PHOSPHATE(7783-28-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

FERROUS SULFATE ANHYDROUS(7720-78-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards

Australia Inventory of Chemical Substances (AICS)

Australia Hazardous Substances Information System - Consolidated Lists

MAGNESIUM SULFATE, ANHYDROUS(7487-88-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (ammonium sulfate; magnesium sulfate, anhydrous; potassium sulfate)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
diammonium phosphate	7783-28-0, 14265-44-2
ferrous sulfate anhydrous	7720-78-7, 13463-43-9

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

 Chemwatch: 41-0705
 Page 8 of 8
 Issue Date: 31/01/2014

 Version No: 2.1.1.1
 Print Date: 27/12/2017

Neutrog Gyganic Pellets

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

 $\begin{array}{ll} {\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average} \\ {\sf PC-STEL: Permissible \ Concentration-Short \ Term \ Exposure \ Limit} \end{array}$

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value

LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.