

# expression s e R I E S



















# CHOOSE YOUR BASEBOARD

### Primed Smooth

Easycraft General Purpose Interior											
Pattern	Length	Width	Thickness	Primed Finish Code	Application	Features					
HONEYCOMB	2720	1200	9	EX27 MR-HON	GP	PR EJ					
CHEVRON	2720	1200	9	EX27 MR-CHE	GP	PR EJ					
ROMAN BRICK	2720	1200	9	EX27 MR-ROM	GP	PR EJ					
CIRCLES	2720	1200	9	EX27 MR-CIR	GP	PR EJ					
COBBLESTONE	2720	1200	9	EX27 MR-COB	GP	PR EJ					

#### **Primed Smooth**

Easycraft Wet Area Interior & Semi Exterior												
Pattern	Pattern Length Width Thickness Primed Finish Code Application											
HONEYCOMB	2745	1200	9.5	EX27 CL-HON	WA SE	PR EJ						
CHEVRON	2745	1200	9.5	EX27 CL-CHE	WA SE	PR EJ						
ROMAN BRICK	2745	1200	9.5	EX27 CL-ROM	WA SE	PR EJ						
CIRCLES	2745	1200	9.5	EX27 CL-CIR	WA SE	PR EJ						
COBBLESTONE	2745	1200	9.5	EX27 CL-COB	WA SE	PR EJ						



Easycraft General Purpose Interior - Veneer											
Pattern	Length	Width	Thickness	Raw Finish Code	Application	Features	Options				
HONEYCOMB	2400	1200	10	EX24 FB-HOC	GP	RA EJ	CL				
CHEVRON	2400	1200	10	EX24 FB-CHE	GP	RA EJ	CL				
ROMAN BRICK	2400	1200	10	EX24 FB-ROM	GP	RA EJ	CL				
CIRCLES	2400	1200	10	EX24 FB-CIR	GP	RA EJ	CL				



Easycraft General Purpose Interior - Veneer												
Pattern	Length	Width	Thickness	Raw Finish Code	Application	Features	Options					
HONEYCOMB	2400	1200	10	EX24 AW-HOC	GP	RA EJ	CL					
CHEVRON	2400	1200	10	EX24 AW-CHE	GP	RA EJ	CL					
ROMAN BRICK	2400	1200	10	EX24 AW-ROM	GP	RA EJ	CL					
CIRCLES	2400	1200	10	EX24 AW-CIR	GP	RA EJ	CL					



Easycraft General Purpose Interior - Veneer											
Pattern	Length	Width	Thickness	Raw Finish Code	Application	Features	Options				
HONEYCOMB	2400	1200	10	EX24 AO-HOC	GP	RA EJ	CL				
CHEVRON	2400	1200	10	EX24 AO-CHE	GP	RA EJ	CL				
ROMAN BRICK	2400	1200	10	EX24 AO-ROM	GP	RA EJ	CL				
CIRCLES	2400	1200	10	EX24 AO-CIR	GP	RA EJ	CL				





Easycraft Tex	tured Sui	rface		Only a	vailable in th	e Cobblesto	ne Pattern
Pattern	Length	Width	Thickness	Raw Finish Code	Application	Features	Options
COBBLESTONE	2745	1200	9.5	EX27 CL-COB-RA	GP WA SE	RA EJ	CL


Pattern	Length	Width	Thickness	Primed Finish Code	Application	Features
COBBLESTONE	2745	1200	9.5	EX27 CL-COB-PR	GP WA SE	PR EJ


# **expression**


# **CHOOSE YOUR PATTERN**











## Product Legend

- GP General Purpose interior.
- For high moisture and humidity areas such as Bathrooms, Kitchens & Laundries.
- SE Suitable for semi-exterior wall & ceiling linings (eaves, alfresco).
- Comes pre-primed ready for you to add your final paint finish.
- EJ Easyjoin system included.
- Available in Raw ready for you to apply your stain or finish onsite.
- CL We also provide the option to have a Clear Lacquer Finish applied (ex factory) ready to install.

Visit **easycraft.com.au** and be inspired to add some personal style to your next project.



Fixing Options: See website under Resources, Installation Guides, Expression Series. Images / Designs shown are representative only and may vary from final product.

