



Solutions produced by



National Compliance Australian Standard: AS/NZS1546.1:2008

State (Tasmanian) Compliance Consumer, Building and Occupational Services Authorised Septic Tanks/Orion Australia



@ sales@orionaustralia.com.au



GREASE ARRESTORS





Model	Capacity	Diameter (mm)	Height (mm)
BGT650	650L	1440	1020
BGT1250	1250L	1440	1420
BGT3250	3250L	2400 x 1830	1450

FEATURING

- Fully preassembled prior to delivery
- Includes integral baffles, fitted
- 100mm inlet, outlet and vent pipes
- TasWater compliant

BLOO UNDERGROUND HOLDING TANKS

BLOO Underground Holding Tanks are ideal for small volume storage of water and other waste. Supplied standard with a 2" BSP threaded outlet.



MODEL UHH1250



MODEL UHH650

FEATURING

- Strong design, yet light and easy to handle
- Fully compliant with Australian Standards AS/NZ1546.1:2008
- Ideal for temporary storage of waste water
- Low profile design for easy installation
- Range of outlet fittings available

Model	Capacity	Diameter (mm)	Height (mm)
UHH650	650L	1440	1020
UHH1250	1250L	1440	1420



TOUGH. RELIABLE. EFFECTIVE.

A septic tank is a lot of things, but it's certainly not glamorous!

Performance. Strength. Reliability. THE REAL DEAL. THAT'S WHAT MATTERS.

BLOO Septic Tanks will handle the worst conditions and perform the best when it matters. You can also feel great about buying one, purpose built in Australia for Australians.



Solutions produced by



- Fully compliant with Australian Standards AS/ NZS1546-1:2008
 Heavily ribbed to prevent collapse or cracking
 Manufactured from industrial strength polyethylene
 - Self locating shape prevents tank from 'floating' out of the ground

DIFFERENT. BETTER. GUARANTEED.

C 18	800	752	784
-------------	-----	-----	-----

- @ sales@orionaustralia.com.au
- 🛄 orionaustralia.com.au
- like us on facebook