





Take This Brochure to the Special Orders Desk to place an order



Shutter systems explained



Our standard range is hand picked to include our most popular options and sizes, taking the guesswork out of your roller shutter selection.

Sizes up to 7m²

• Max width 3m

Foam Filled Aluminium Blades

• Powder coated for durability

3 Control System Options

All remote control operated:

1. Battery

- DIY install
- Works during a blackout

2. Solar

- Easiest DIY install
- Works during a blackout
- One hour of direct sunlight equals one week of normal operation

3. Hardwired

- Electrician required for installation
- Fully integrates into house circuitry for premium finish
- Smart home compatible

Why buy a roller shutter?

Privacy

Complete window block-out keeps out prying eyes and excess noise whilst deterring vandals and thieves.

Climate control

Stops the sun from heating up your home in summer and keeps heat from escaping in winter.

Energy Savings

Better control over your homes' climate means you need less energy to keep it comfortable, providing up to 40% energy savings.

Light control

Put a dimmer on the sun. From full natural light to complete darkness, you are in control.

Fire Protection

Our fire rated system helps protect your home against ember attack and radiant heat in the event of a fire.

Cyclone Protection

Our cyclone rated system helps protect your windows and doors from debris and the extreme pressure changes of a storm. POWDER COATING YEAR WARRANTY

YEAR WARRANTY

MECHANICAI

YEAR

BATTERIES

MONTHS
WARRANTY

ALL SYSTEMS ARE REMOTE CONTROLLED

Multi-channel remotes allow for easy grouping of shutters

One touch programming

Group shutters on channels *Example:*

Channel 1 - all shutters

Channel 2 - front of house

Channel 3 - master bedroom



DIY Installation

Roller shutters have a medium to high level of difficulty for installation. It's recommended for experienced DIY enthusiasts or trades people.

Hardwired systems need to be installed by a qualified electrician or roller shutter installer in your area.

For full installation instructions download the "Roller Shutter Tech Manual" downloadable on at everton.com.au

Completing the order form

1. Room Location

Choose a name or description for each roller shutter to plan your order. This description will appear as a sticker on the wrapping of your roller shutter when it arrives to help identify where it will be installed e.g. master bedroom, kitchen, bedroom 1, bedroom 2.

2. Install Type

There are 2 methods of installation. On-Wall or In-Reveal.

We recommend On-Wall – it's easier to fit for DIY and you don't lose any viewing area through the window.

You will only need to use in-reveal fitting if any of the following apply:


there is less than 300mm of clear space above the window to allow space for headbox; or there is less than 150mm of clear space on either side of the window to allow space for shutter guides.

3. Packing extrusion or bottom guides?


Packing extrusion is used when there is something blocking the path of the shutter, e.g. a door handle. The profile packs the shutter out from the wall to avoid any obstacles.

Bottom guides may be required if the opening has no sill. If either of these are required, simply write packing req or bottom guide req in the notes column.


In-reveal side view with sill



On-wall side view with sill




On-wall side view with no sill




4. Height and Width

- Measure each side and the middle of the window opening to the outside of the frame.
- Include architrave for on-wall installation.
- Do not include architrave for in-reveal installation.



Window with architrave

Window with sill



5. Control System

Select either a battery, solar or hardwired control system for this shutter. You only need one remote. You can purchase one for each room if desired. Manual control can also be selected as an option by leaving this section blank and writing manual in the notes section.

6. Control Side

Select if the control will appear on the left or right of the window when viewed from the inside.

7. Colour

Select the colour for your roller shutter.



Colours shown here have been reproduced to represent actual product colours as accurately as possible. If unsure, we recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones.

8. Control System Remote Controllers

Indicate the number of remotes required for the different control systems. At least one remote is required, but you can get more.

If you are ordering a battery system, indicate the number of wall chargers you would like to purchase. At least one will be required to charge your battery system.

9. Assess your job

Will you require specialised shutters *i.e. fire or cyclone rated?*

Check with your local council about requirements in your area.

If required write it in the notes column fire rated or cyclone rated followed by the rating required e.g. fire rated BAL 40 or cyclone rated C3.

10. Extras

Include any additional explanatory notes or special requirements e.g. -

- Fire or cyclone rating
- Packing extrusion
- Bottom guides
- Matching headbox sizes

Once you've filled out the form, return it to your local Bunnings' Special Orders Desk.

 $\mathbf{4}$

tters	
nutt	rm
er Sl	r Fo
colle	rde.
M .	


Bunnings PO Number: Bunnings COS Number: Customer Sign-Off: Date: BUNNINGS USE ONLY Store Number: Store Contact: Store Name: Store Tel:



Quote For more information on any of these options, refer to pages 4 & 5 of this brochure. No cancellations once signed order is submitted

Order Control Side Hardwired Solar Battery ВІЗСК цоипшеи Colour Woodland Grey Стеат 93idW H3 Height (mm) H2 H1 W3Width (mm) W2 W1In Reveal I[sW-nO

measurements from outside of property as shown Measure opening size to edge of frame Provide



Left Determine Control Side looking from inside of property

Note: one remote can operate up to 20 shutters per system. Battery System requires an AC charger. Battery or Solar requires remote Hardwired requires remote

 $\underset{R}{\text{Right}}$

QTY

Control System Remote Controllers

1

Indicate if any of the following are required: fire of cyclone rating, bottom channel, packing extrusion or matching headbox sizes.

Submit by email to sales@protectorpremium.com.au

(07) 5476 5022

2a Page St, Kunda Park, QLD, 4559

Everton

Roller Shutter Fineline Table

	Width		<1000			1000-1200	0		1201-1400	0		1401-1600			1601-1800	0		1801-2000	0
Height		BAT	SOL	HWD	BAT	SOL	HWD	BAT	SOL	HWD	BAT	SOL	НМР	BAT	SOL	НМР	BAT	SOL	HWD
/	꼰	165595	165604	165589							165596	165605	165590						
7	WO	208385	208447	208322							208388	208448	208323						
10001	꼰				163979	164027	163929	163979	164027	163929	163980	164029	163931	163981	164030	163932	163982	164031	163933
-000	WO				208390	208449	208324	208390	208449	208324	208391	208451	208325	208393	208452	208326	208394	208455	208327
0071 1001	꼰							1 63983	164032	163934	163984	164033	163936	163985	164034	163937	163986	164035	163938
1-102	WO							208395	208456	208329	208396	208457	208330	208397	208459	208331	208398	208460	208332
1401-1400	낌				163891	164041	163942	163992	164042	163943	163993	164043	163945	163994	164044	163946	163994	1 64044	163946
2	MO				208402	208465	208338	208404	208466	208339	208405	208467	208340	208406	208469	208341	208406	208469	208341
1401-1900	낊										163998	164048	163951	1 639 99	164049	163953			
	MO										208410	208474	208349	208412	208475	208351			
1801-2000	꼳	165599	165606	165591							164001	164051	163956	164002	164052	163957	164003	164054	163958
2007-1001	MO	208414	208477	208354							208415	208478	208355	208417	208479	208357	208418	208480	208358
0000-1000	낊	165601	165607	165592				164006	164057	163961	164007	164058	163962	1 64008	164059	163963	164010	164060	163964
2007	MO	208424	208484	208362				208425	208486	208363	208426	208487	208364	208427	208489	208365	208428	208490	208366
0001-0400	낌	165603	165608	165594										164017	164066	163971	164018	1 64068	163972
22012	MO	208436	208497	208374										208437	208498	208375	208439	208499	208376

	Width		2001-2200	0(2201-2400	C		2401-2600	(2601-2800			2801-3000			3001-3200)
Height		BAT	SOL	HWD	BAT	SOL	НМБ	BAT	SOL	HWD									
7	꼰																		
000	ΜO																		
0001	꼰																		
-000	ΜO																		
1201-1400	R	163987	164037	163939	163988	164038	163940	163990	164040	163941									
000	MO	208399	208461	208333	208400	208462	208334	208401	208463	208337									
1401-1400	R	163995	164045	163947	163996	164046	163948	163997	164047	163949									
200	MO	208407	208470	208342	208408	208472	208343	208409	208473	208346									
1401-1800	IR										164000	164050	163955						
	MO										208413	208476	208353						
1801-2000	꼰	164004	164055	163959				164005	164056	163960									
000	MO	208422	208481	208359				208423	208482	208360				ı					
2001-2200	낊	164011	164061	163965	164012	164062	163966	164014	164063	163968	164015	164064	163969				164016	164065	163970
0077-1007	MO	208430	208492	208367	208431	208493	208368	208432	208494	208371	208434	208495	208372				208435	208496	208373
2201-2400	\cong	164021	164069	163973	164022	164072	163974	164023	164074	163975	164024	164076	163976	164025	164077	163977	164026	164078	163978
0042-1027	MO	208440	208501	208377	208441	208502	208379	208443	208503	208380	208444	208504	208381	208445	208506	208383	208446	208507	208384

	45
	w
	_
_	€.
	\sim
	\mathbf{C}
	$\mathbf{\circ}$
	LU.
	•
	ຜ
	di.
	Ψ
	()
	_
	U
	\sim
	₫:

How It works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a Team member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online to select the item that best suits your needs.

2. Order At The Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk.

3. Get It Home

We Will Deliver

Delivery to your home or site can be arrange in-store when purchasing your products.

Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.



