

BELLESSI IS EXCLUSIVE TO BUNNINGS

BELLESSI AUSTRALIA

PHONE 1800 45 47 44

ENQUIRIES ENQUIRIES@BELLESSI.COM.AU ORDERS ORDERS@COMPOSITE.COM.AU

ONLINE WWW.BELLESSI.COM.AU

BELLESSI NEW ZEALAND

PHONE 0800 60 78 76

ENQUIRIES ENQUIRIES@BELLESSI.CO.NZ
ORDERS ORDERS@BELLESSI.CO.NZ
ONLINE WWW.BELLESSI.CO.NZ

MANUFACTURED IN AUSTRALIA BY





37 Hosie Street, Bayswater VIC AUS 3153 Telephone: (613) 8720 7600 Fax: (613) 9729 5197 Email: enquiries@bellessi.com.au





Splashback: Bond



Bellessi is manufactured in Australia using the latest colour production technology that will enhance your living space.

Bellessi adds colour for life! It's lightweight, cost effective and very easy to install as you can cut, drill and shape on site, saving you time and money during installation.

It is 50% lighter than glass and 25 times more impact resistant, therefore it is the logical alternative to custom glass.

On average Bellessi can reduce renovation time by more than four weeks when compared to a custom glass install, as all of the finishing work is completed on site. You don't need expensive high end specialist tools or installers, so almost anyone can install their own splashback saving time and money.

Bellessi is a highly engineered polymer that is abrasion resistant and will not grow bacteria.

It is perfect for use in kitchens, laundries, bathrooms, virtually any indoor vertical surface.

It has the highest chemical resistance in it's class.

You will be confident in the knowledge that should you scratch the front of your panel, Bellessi is completely repairable. Scratches can be easily repaired and removed by sanding and polishing them out.

We recommend the Bellessi Polish Kit.

You will be cleaning your shower or splashback much less as it won't grow bacteria, mould or build up soap scum. Simply and effortlessly clean your panels with warm soapy water.

Bellessi offers one of the largest ranges of panel sizes so you will be able to suit any space with our products on offer.

Yes, Bellessi splashback can be used behind your cooktop. See our installation guide for information on this.





Key Features of the Complete Bellessi Splashback Range

Unique, high-tech polymer

Adhere with a clear neutral cure silicone

Highest chemical resistance in category

Higher heat resistance (up to 80° Celsius)

10-year UV warranty

Easy to clean & maintain: soap & mould won't build up

Striking high gloss finish for an eye catching result

Perfect for use in kitchens, bathrooms & laundries — almost any vertical surface.

Colour matched glass panels availablespeak to your Bunnings team member

Extremely durable — abrasion resistant

Sanitary grade polymer

25 times more impact resistant than glass

50% lighter than glass, resulting in a much quicker installation time

All Bellessi polymer panels can be cut, drilled, planed & polished on-site — the perfect DIY splashback

Scratches can be polished out

No grout lines (unlike tiles), making it easier to clean

Environmentally friendly: recyclable/ lower energy than glass to produce

100% recyclable

Builders have on-site control

Splashback utilising glass filler panel:

Grecian Marble



A splashback or decorative feature panel gives the ultimate finish to your living space.

Often a splashback is chosen early on in a kitchen design and the finishes are chosen around this.

Bellessi is ideal for DIY'ers due to ease of installation when compared to the costs and hassles associated with custom glass.

Bellessi is the ultimate way to bring life to your kitchen, bathroom, shower area or entertaining space. In fact it will bring colour to your life on almost any vertical surface.



Motiv

A revolutionary way to bring life to your home. A set range of designer images that will be the envy of everyone.

Vibrant Series

We have a range of stocked vibrant colours giving you the quickest turn-around time.
A wonderful feature in this range is our metallic colours with a beautiful finish without the costly price.

Choose Your Own Colour

Ask a Bunnings team member how we can produce almost any colour in the Bunnings stocked paint range.

Polymer: Motiv Design

Standard Sheet Size

Standard Sheet Size							
Height	Width	Thickness					
445mm	1200mm	4mm					
445mm	2600mm	4mm					
725mm	2440mm	6mm					
760mm	2600mm	4mm					
900mm	2440mm	4mm					
1220mm	3050mm	4mm/6mm					
Vanity Panel Size							
300mm	900mm	4mm					
300mm	1200mm	4mm					
Island Back	Panel Size						
860mm	2600mm	4mm					
860mm	3050mm	4mm					
Shower Wall/Wall Panel Size							
920mm	2000mm	4mm/6mm					
1220mm	2000mm	4mm/6mm					
1220mm	2440mm	4mm/6mm					

Glass Filler Panels: Vibrant/Choose your Colour

Standard Sheet Size

Otandara Officet Office					
Height	Width	Thickness			
200mm	595mm	5mm			
650mm	595mm	5mm			
730mm	595mm	5mm			
200mm	895mm	5mm			
650mm	895mm	5mm			
730mm	895mm	5mm			

Glass Filler Panels: Motiv Design

Standard Sheet Size

Height	Width	Thickness		
650mm	595mm	5mm		
730mm	595mm	5mm		
650mm	895mm	5mm		
730mm	895mm	5mm		

Polymer: Vibrant/ Choose your Colour

Standard Sheet Size

Height Width Thickness 445mm 1200mm 4mm 445mm 2600mm 4mm 575mm 1200mm 4mm 575mm 2600mm 4mm 595mm 760mm 4mm 600mm 3050mm 6mm 725mm 1200mm 6mm 725mm 2440mm 6mm 725mm 3050mm 6mm 760mm 1200mm 4mm 760mm 2600mm 4mm 895mm 760mm 4mm 900mm 2440mm 4mm 920mm 2000mm 4mm/6mm 1220mm 2000mm 4mm/6mm 1220mm 2440mm 4mm/6mm 3050mm 1220mm 4mm/6mm

Stainless Steel Filler Panels

2440mm

900mm

1200mm

2600mm

3050mm

4mm/6mm

4mm

4mm

4mm

4mm

1mm

Vertical Grain

Height Width Thickness
650mm 597mm 1mm

Kickboard Panel Size

Island Back Panel Size

Vanity Panel Size

145mm

300mm

300mm

860mm

860mm

650mm

Horizontal Grain - Fingerprint Resistant

897mm

Height	Width	Thickness
650mm	597mm	1mm
650mm	897mm	1mm
730mm	597mm	1mm
730mm 897mm		1mm

METALLIC COLOURS

Bellessi is the only Polymer supplier to offer Metallics giving you a luxurious designer look with out the costly price tag.












SOLID COLOURS



Colours in a printed brochure can look different than in real life. Everything possible will be done to deliver the best match however due to the nature of paint compared to print, a perfect match cannot be guaranteed every time. Please take this into consideration when ordering your Bellessi panel.

When ordering multiple panels for use together, please ensure they are all ordered at the same time. Due to the nature of paint there can be slight variations between batches.

Silver Ghost

Ask a Bunnings team member how we can produce your chosen panel in any stocked paint colour!



Want to choose your own colour?

Select any non metallic colour from the Bunnings stocked range of paint. Fill in the relevant details on the order form on page 22 and your panel will be produced in the colour you desire. Note: Colour matched splashbacks may vary slightly from the original colour sample and between batches.

Bellessi Splashbacks have a gloss finish which may differ from a matte colour sample. A handy hint is to use a piece of sticky tape on a colour sample to visualise a gloss finish. Colour may also differ due to the age of the original product and the lighting of the splashback location.

When colour matching the Glass Filler Panel system, glass and polymer panels can slightly differ due to the nature of glass composition. Everything possible will be done to deliver the best match however due to the above factors a perfect match cannot be guaranteed every time.





Bellessi Motiv is a revolutionary way to bring life to your kitchen, bathroom, shower, basically any vertical indoor living space.

With the same quality and features of all other Bellessi products, the Motiv range offers a modern designer look without the costly price tag of similar products.

Bellessi Motiv can be installed directly behind any electric, induction or ceramic cooktop.*

When installing behind gas simply use one of the glass filler panels the width of the cooktop and your image will flow seamlessly from your polymer through the glass. With this system your Motiv panel can still be installed by almost anyone—a unique feature of this designer range.




When deciding on your Motiv design be mindful of your installation area.

You may lose your favorite section of your chosen image due to a window or overhead cupboard cut out. Also take into account your overall length as we don't cut to size. You could lose the end section of your design when trimming to suit your space.


^{*} See page 19 for installation requirements



The Motiv Range



Eye Catching Designs Colours in a printed brochure can look different than in real life. Everything possible will be done to deliver the best match however due to the nature of paint compared to print a perfect match cannot be guaranteed every time. Please take this into consideration when ordering your Bellessi panel. When using the glass colour matched panel system, slight colour differences can occur between the glass and polymer panels due to the nature of glass composition. Everything possible will be done to deliver the best match however due to the above factors a perfect match cannot be guaranteed every time.



Manhattan Night

Skyline

14



Shower wall: Allsorts Green

Where can I use it?

Kitchen splashbacks	Cupboard doors	Bathrooms		
Kickboards	Bath surrounds	Internal feature walls		
Island back panels	Showers	Laundries		

Changing your splashback can alter the look and feel of your living space dramatically preventing the need for further costly renovations.



This kitchen shows the continuous image option being used to great effect across multiple panels.

Splashback: Black Marble

Panel Orientation

The orientation of image on your panel can change the design to suit your space more effectively. See below how orientation can impact your design. To order simply select the Vertical or Horizontal option under Panel Orientation on the order form. Please note that when selecting a Motiv design with a vertical panel orientation our designer will choose the part of the image most appropriate to your panel size.

Ordering an image with continuous or vertical panel orientation can only be done through the Special Orders desk at your nearest Bunnings warehouse. When ordering online, only standard horizontal images are available.



Manhattan - Horizontal



Manhattan - Vertical



Bellessi Polish Kit

The Bellessi Polish Kit can be used to remove scratches or to create beautiful polished edges on Bellessi Polymer Panels. If your panel is scratched you can return the surface to its original lustre by working through various grades of sand paper and finishing with the Ultra Polishing Cream.

Bellessi Stainless Steel Filler Panels

Bellessi offer a range of stainless steel filler panels to give you even more options in your kitchen. Easy DIY installation directly over a Bellessi Polymer Splashback gives you the flexibility to install behind a gas cooktop and protect against radiant heat.


With 4 sizes available in horizontal grain and 2 in vertical, Bellessi stainless steel filler panels are sure to match your kitchen. Nano Coat technology gives all horizontal grain stainless steel filler panels fingerprint resistance, a feature that removes one of the most common issues with stainless steel in the home.





Horizontal Grain - Fingerprint Resistant

Vertical Grain



Using Bellessi Behind Cooktops: Induction/Electric/ Ceramic/Gas


Induction, Electric & Ceramic Cooktops*

Bellessi's engineered polymer is durable and repairable at the same time. It meets Australian standards when installed directly behind any electric, ceramic or induction cook top, reducing the time and hassles associated with custom glass splashbacks.

Bellessi Polymer Panel







Gas Cooktops*


Australian standards require the use of a non-combustible material the width of your cooktop at a minimum height of 150mm.

To assist with this type of installation we offer colour matched glass filler panels as well as stainless steel filler panels. These filler panels can be easily installed directly behind your gas cooker to the height of your range hood. See our range list for the standard sizes available.

	Bellessi Polymer Panel
--	------------------------

Bench Top

Cooktop



Always refer to cooktop and splashback installation manual before beginning any installation

Note: A 3mm expansion gap is required between Bellessi Panels and any substrate. It is also required where any panels are joined.

Please refer to installation guide on page 20 for details on obtaining a flush finish between glass and polymer.

* Warranty will be void if Bellessi polymer comes into direct contact with cooking apparatus or exposed to prolonged radiant heat and not installed as per manufacturers specification. Please refer to www.bellessi.com.au for full installation manual and warranty.

Installation

Bellessi can be installed by almost anyone. It is quick and simple to work with and will change the look of your room in no time at all.

A renovation project using Bellessi can be completed in a fraction of the time when compared to using tiles or custom glass. In some cases you can even install your Bellessi panels over existing tiles shortening installation times even further.

Cutting

You can cut your Bellessi panel using a circular saw, jigsaw, laminate trimmer. You must use blades suitable for cutting aluminum or acrylic. Your circular saw blade must have a minimum 60 teeth. Always clamp down when cutting and cut into a sacrificial board.

Routing

A router can be used to cut, trim or do cutouts however an acrylic only bit must be used.

Drilling

When drilling into a Bellessi panel use a multi purpose drill bit. Where a hole saw is required always change the pilot drill to this type of bit.


Cleaning

There is no need for harsh chemicals when cleaning Bellessi, you can use warm soapy water to wipe away any dirt, mould, soap scum etc.

Expansion

Bellessi panels require a 3mm expansion gap to be left between sheets and any solid surface. You can use 3mm tile spacers to give you the correct spacing where required.

Support Bellessi polymer panel back on plywood, MDF sheet or solid work top when cutting or drilling panel.



Installation

Always use good quality neutral cure clear silicone when adhering your panel to the wall. A good tip is to use small pieces of double sided Scotch permanent tape 25mm W × 50mm L in each corner to hold your panel in place while your silicone cures over night.


You must always leave a 3mm expansion gap between any surface or adjoining Bellessi product.

Protective film

Each polymer panel has a protective film on the front and rear. Once you have cut your panel to size remove the rear film before applying silicone and installing. Always leave the front film on until you have completed your installation. This will make clearing up silicone easier and prevent any potential damage.

Tools & Equipment to Assist

Marker	Neutral cure clear silicone		
Straight edge	Trestle table or work bench		
Tape measure	Sanding block		
Carpenters square	Wet and dry sand papers		
Caulking gun	Double sided tape		
Circular saw	3mm tile spacers		
Drill	Appropriate task related PPE (Personal Protective		
	Equipment)		



Note: Alter the thickness of silicone applied behind the different sizes of glass and polymer to obtain a flush finish across all materials.

Pressing a straight edge against panels on the wall will assist with this.

Please refer to www.bellessi.com.au for the full installation manual and warranty details.

Ordering is as easy as A, B & C

How to Order Bellessi Motiv

If you are installing your Bellessi Motiv splashback behind a gas cooktop you will need a glass filler panel.

When measuring for your splashback and filler panel please ensure you supply all dimensions for each section.

See diagram below

Motiv designs can be produced with a continuous image giving you the ability to run your design through multiple panels allowing you to cover larger areas in your home. Please tick the continuous image box on your order form when this is required.

Section	Measurement	Material		
Α	920mm	Polymer		
В	595mm	Glass		
С	1320mm	Polymer		

Measurements based on example below where a 725x2440 Polymer Panel and a 595x730 Glass Filler Panel are being ordered.


Note: Piece C will be supplied as 1520m. This is the remaining Polymer left over from the 2440 panel - we always supply what is left over and do not cut to size.

Please keep in mind when you are ordering Motiv with the glass filler panel as mentioned, the overall design length will increase including the dimensions of the glass. At times this may cause the loss of a favourite section of your image due to trimming during installation.

In some circumstances you may wish to install your Bellessi Motiv sheets in a vertical orientation such as in a shower rather than horizontal like a kitchen.

When ordering for a vertical install be aware you may lose sections of your image due to expansion of the design to fit the much higher panel. Installing multiple panels in a continuous formation will prevent the loss of key sections.

All of this can be noted on your order form.



Bellessi Motiv Order Form

Use this order form to draw a quick diagram of your requirements and to ensure correct alignment and orientation of your panels for your space. Please note this is not for custom sizing, cutting or to scale.

1 1	1 1 1	1 1 1			1 1	<u> </u>	
	Example Diag	am	Α	В	С		
						D	
+		- + +	I	· + 	I I	- 	·
						-	
- +		- + 			+ - ·	- +	
 				. – – – – – – – – – – – – – – – – – – –	-ii		·
						-	. L l L l
1 1			1 1 1				
				. – – – – – – – – – – – – – – – – – – –			·
+		- +		. – – – – – – – – – – – – – – – – – – –		_	·
		+		, +,	·		
				. – – – – – – – –			·
- - -		+	i i			-	·
			'	. – – – – – – – – – – – – – – – – – – –		_'_	·
		- + +			+-·	_	
 					i i	-;	·
+		- +			+-·	- +	
						-¦	
Section	Measurement	Colour/Design		Material		-	ous Image
<u>A</u>	mm					Yes	[] No
В	mm						
С	mm					Panel Or	ientation

 B
 mm
 Panel Orientation

 D*
 mm
 [] Horizontal

 E*
 mm
 [] Vertical

 Support
 T 1800 45 47 44
 E orders@composite.com.au

 F 03 9729 5197
 W www.bellessi.com.au

How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online.

2. Order Online or at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

3. Get It Home

We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products.

Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.



