Version number 19

Revision: 29.09.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name Matches
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Matches
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Denbies Group 71 Star Crescent Hallam Victoria 3803 Australia

· Informing department: Email: info@denbies.com.au

· 1.4 Emergency telephone number:

Denbies Group, 71 Star Crescent, Hallam, Vic 3803, Ph: +61 3 9796 5811

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

GHS02	flame
Flam. Sol. 2	H228 Flammable solid.
GHS03	flame over circle
Ox. Sol. 1	H271 May cause fire or explosion; strong oxidiser.
Aquatic Chronic 3	3 H412 Harmful to aquatic life with long lasting effects.
· Classification ad	ccording to Directive 67/548/EEC or Directive 1999/45/EC
R9: Explos	sive when mixed with combustible material.
	ful to aquatic organisms, may cause long-term adverse effects in the aquatic nment.
· Information con	cerning particular hazards for human and environment:
•	to be labelled due to the calculation procedure of the "General Classification parations of the EU" in the latest valid version.
	(Contd. on page 2)
	GB



Denbies Group

Version number 19

Revision: 29.09.2014

	(Contd. of page
· Classification	-
	tion is in line with current EC lists. It is expanded, however, by information fro
technical literat	ture and by information furnished by supplier companies.
· 2.2 Label elem	nents
· Labelling acco	ording to Regulation (EC) No 1272/2008
The product is	classified and labelled according to the CLP regulation.
	rams GHS02, GHS03
Signal word D	•
Hazard statem	
H228 Flammab	
-	se fire or explosion; strong oxidiser.
	to aquatic life with long lasting effects.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other igniti
DO01	sources. No smoking. Taka any proportion to quaid mining with combustibles
P221 P241	Take any precaution to avoid mixing with combustibles.
P241 P280	Use explosion-proof electrical/ventilating/lighting/equipment.
P220	Wear protective gloves/protective clothing/eye protection/face protection. Keep/Store away from clothing/combustible materials.
P240	Ground/bond container and receiving equipment.
P273	Avoid release to the environment.
P283	Wear fire/flame resistant/retardant clothing.
P306+P360	IF ON CLOTHING: rinse immediately contaminated clothing and skin with pler
100011000	of water before removing clothes.
P371+P380+P3	375 In case of major fire and large quantities: Evacuate area. Fight fire remotely d
	to the risk of explosion.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P501	Dispose of contents/container in accordance with local/regional/national
	international regulations.
Additional info	ormation:
Contains rosin.	May produce an allergic reaction.
Information pe	ertaining to particular dangers for man and environment
	in this SDS apply only to flammable head of match.
· 2.3 Other haza	
Results of PB	T and vPvB assessment
• PBT: Not applie	
• vPvB: Not app	licable.

· 3.2 Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 3)

GB



Denbies Group

Version number 19

Revision: 29.09.2014

Trade name Matches

CAS: 3811-04-9	potassium chlorate	2.5-10
	Xn R20/22; O R9; N R51/53 O X. Sol. 1, H271; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H332	_
CAS: 8050-09-7 EINECS: 232-475-7	rosin Xi R43 Skin Sens. 1, H317	< 0.5%

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact The product is not skin irritating.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- · After swallowing In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. 5.2 Special hazards arising from the substance or mixture
- Under certain fire conditions, traces of other toxic gases cannot be excluded.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Use breathing protection against the effects of fumes/dust/aerosol.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

Inform respective authorities in case product reaches water or sewage system.

· 6.3 Methods and material for containment and cleaning up: Collect mechanically.

(Contd. on page 4)

GR



Denbies Group

Version number 19

Revision: 29.09.2014

Trade name Matches

· 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Store away from reducing agents.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Keep away from foodstuffs, beverages and food.
- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not relevant.
- · Penetration time of glove material Not relevant.
- · Eye protection: Not required.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

Solid.

(Contd. on page 5)

GB



Denbies Group

71 Star Crescent | Hallam, Victoria 3803 | Australia | Ph: + 61 3 9796 5811 Fax: + 61 3 9796 5059 | Email: info@denbies.com.au | Web: www.denbies.com.au

(Contd. of page 3)

Version number 19

Revision: 29.09.2014

Trade name Matches

	(Contd. of page
Colour:	Different according to colour
· Smell:	Ester-like
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	400 °C
· Flash point	
(DIN 51758; SETA CLOSED CUP):	Not applicable
· Inflammability (solid, gaseous)	Not determined.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-inflammability:	> 170 °C
· Danger of explosion:	Explosive when mixed with combustible material.
· Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
· Steam pressure:	Not applicable.
· Density (DIN 51757):	Not determined
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Partly miscible
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- Visible decomposition with spontaneous ignition on heating
- · 10.3 Possibility of hazardous reactions Self igniting at raised temperature
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 6)

GB



Denbies Group

Version number 19

Revision: 29.09.2014

Trade name Matches

(Contd. of page 5)

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effect known.
- · Additional toxicological information: Irritant

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · AOX-indication: not relevant
- According to recipe contains the following heavy metals and compounds according to EC guideline NO. 76/464 EC:

none

· General notes:

Harmful to aquatic organisms

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB



Denbies Group

Version number 19

Revision: 29.09.2014

(Contd. of page 6)

Trade name Matches

· European waste catalogue

The waste key numbers from EWC, is sector and process-specific implement .

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR, IMDG, IATA	UN1944
	0111944
14.2 UN proper shipping name	
ADR	1944 MATCHES, SAFETY
IMDG, IATA	MATCHES, SAFETY
14.3 Transport hazard class(es)	
ADR	
W.	
Class	4.1 (F1) Flammable solids, self-reactiv
	substances and solid desensitised explosives.
Label	4.1
Class	4.1 Flammable solids, self-reactive substance
	and solid desensitised explosives.
Label	4.1
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable solids, self-reactives substances and solid desensitised explosives.
Kemler Number:	-
	F-A,S-I
EMS Number:	
EMS Number: 14.7 Transport in bulk according to Ann	



Denbies Group

GB -

Version number 19

Revision: 29.09.2014

Trade name Matches

Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
Transport category	4
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000
UN "Model Regulation":	UN1944, MATCHES, SAFETY, 4.1, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Information about limitation of use: none
- Technical instructions (air):
- · Class Share in % not relevant
- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.
- H411 Toxic to aquatic life with long lasting effects.

R20/22 Harmful by inhalation and if swallowed.

R43 May cause sensitisation by skin contact.

(Contd. on page 9)

GB



Denbies Group

Version number 19

Trade name Matches

Revision: 29.09.2014

R51/5	Contd. of pa) 3 Toxic to aquatic organisms, may cause long-term adverse effects in the aqu
	environment.
R9	Explosive when mixed with combustible material.
Conta	•
	es Group
	e: +61 3 9796 5811
	eviations and acronyms:
	èglement international concernant le transport des marchandises dangereuses par chemin de fer (Regula ning the International Transport of Dangerous Goods by Rail)
IATA-D	GR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: I	nternational Civil Aviation Organization
ICAO-T	I: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concernin ional Carriage of Dangerous Goods by Road)
IMDG: I	International Maritime Code for Dangerous Goods
IATA: Ir	nternational Air Transport Association
GHS: G	lobally Harmonized System of Classification and Labelling of Chemicals
EINECS	S: European Inventory of Existing Commercial Chemical Substances
	B: European List of Notified Chemical Substances
	hemical Abstracts Service (division of the American Chemical Society)
	ol. 2: Flammable solids, Hazard Category 2
	. 1: Oxidising Solids, Hazard Category 1
	ox. 4: Acute toxicity, Hazard Category 4
	ns. 1: Sensitisation - Skin, Hazard Category 1
	Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2
Aquatic	Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

