

Steel Water Tanks



**WE WILL
DELIVER**



**SPECIAL
ORDERS**



Available at
BUNNINGS
warehouse

Take This Brochure to the Special Orders Desk or order online at [bunnings.com.au](https://www.bunnings.com.au)

Quality, strength, durability, efficiency & style of steel


Kingspan manufactures and supplies long lasting, quality, made to measure steel water tanks and accessories for Australian homes and businesses. We've been doing it for over 80 years. All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.



20 Year Guarantee*

For total peace of mind


- Australian made using quality Bluescope AQUAPLATE® Steel
- Tanks meet Australian Standard AS4020 for storage of drinking water and carry watermark certification
- Choose from 4 different steel tank shapes
- Select from a range of dimensions available, or we offer made to measure tanks to perfectly fit your space
- Full range of Colorbond® colours available



Proudly Australian Made

Your Tank comes with:

- Inlet strainer with light guard
- Fitted overflow with mosquito screen
- Fitted outlet with watermarked brass ball valve
- The ability to select fitting locations on your tank to save time and money on plumbing
- Finished in Galvanised or a Colorbond® colour of your choice
- Delivery to the tank base or concrete pad onsite^
- Industry leading 20 year corrosion warranty and 10 year construction warranty



Metropolitan delivery to the tank base or concrete pad onsite included – we won't leave the tank on your driveway.^

^ Site delivery to Sydney, Melbourne and Brisbane metro areas is included in the price. Check with your local Bunnings store to see if your site delivery address falls within the metropolitan zone, otherwise delivery charges may occur.


* All our tanks come with a 10 year construction warranty and 20 year warranty against corrosion.

Choose your tank in 5 easy steps

To suit your space and lifestyle. It's important that you get the tank that best suits your particular needs. Kingspan tanks are designed to fit perfectly into your space and lifestyle.


STEP
1

Select the shape




Slimline

A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available. Tailor the length, width and height to perfectly fit the space you have. Capacities range from 600 litres up to 8,700 litres.




Modline

These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank. They help maximise water storage capacity in tight spaces and can be tailored to fit as required. Capacities range from 770 litres up to 9,000 litres.



Round

Traditional round water tanks remain a popular choice, space permitting. Choose your diameter and height to perfectly fit the space you have. Capacities range from 500 litres up to 29,000 litres.



Square

The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks. Capacities range from 560 litres up to 7,900 litres.




STEP

2

Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

Slimline



A great choice for tight spaces, allowing you to maximise the water storage capacity of the area available.

Here are some of our most popular tank sizes in the Slimline range.

| 2000 Litres* | 3000 Litres* | 5000 Litres* | 7000 Litres* |
|--|--|---|--|
| 700mmW | 800mmW | 1150mmW | 1150mmW |
| 1700mmL | 2200mmL | 2600mmL | 3300mmL |
| 1860mmH | 1860mmH | 1860mmH | 2020mmH |
| IN #4819131 | IN #4819286 | IN #4819365 | IN #4819132 |
| Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads | Tank weight 90kg Good for - 509 toilet flushes - 3 hours of hand watering - 38 washing machine loads | Tank weight 110kg Good for - 839 toilet flushes - 5 hours of hand watering - 62 washing machine loads | Tank weight 145kg Good for - 1182 toilet flushes - 7 hours of hand watering - 88 washing machine loads |

* Note that maximum capacities differ depending on shape and measurements of tank.

Each size has a unique Bunnings Item Number.

The Item Numbers for Slimline sizes in galvanised steel are shown below:


SEARCH THE
ITEM NUMBER



| IN # | DESCRIPTION | Colour | Width mm | Length mm | Height mm | Notes |
|---------|---------------------------------------|--------|----------|-----------|-----------|-------|
| 4814630 | WATER TANK STEEL SLIM KINGSPAN++1000L | GALV | 550 | 1400 | 1560 | |
| 4814878 | WATER TANK STEEL SLIM KINGSPAN++1500L | GALV | 550 | 2000 | 1560 | |
| 4814561 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 550 | 2600 | 1560 | |
| 4819131 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 700 | 1700 | 1860 | |
| 4814345 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 850 | 1900 | 1560 | |
| 4814738 | WATER TANK STEEL SLIM KINGSPAN++2500L | GALV | 850 | 2300 | 1560 | |
| 4814713 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 700 | 2700 | 1860 | |
| 4819286 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 800 | 2200 | 1860 | |
| 4814854 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 850 | 2700 | 1560 | |
| 4814356 | WATER TANK STEEL SLIM KINGSPAN++3500L | GALV | 1150 | 2400 | 1560 | |
| 4814496 | WATER TANK STEEL SLIM KINGSPAN++4000L | GALV | 850 | 2900 | 1860 | |
| 4814610 | WATER TANK STEEL SLIM KINGSPAN++4000L | GALV | 850 | 3500 | 1560 | |
| 4814740 | WATER TANK STEEL SLIM KINGSPAN++4500L | GALV | 1150 | 2800 | 1560 | |
| 4819365 | WATER TANK STEEL SLIM KINGSPAN++5000L | GALV | 1150 | 2600 | 1860 | |
| 4818993 | WATER TANK STEEL SLIM KINGSPAN++5000L | GALV | 1150 | 3100 | 1560 | |
| 4819092 | WATER TANK STEEL SLIM KINGSPAN++5000L | GALV | 900 | 3200 | 1860 | |
| 4819281 | WATER TANK STEEL SLIM KINGSPAN++6000L | GALV | 1150 | 2900 | 2020 | |
| 4819132 | WATER TANK STEEL SLIM KINGSPAN++7000L | GALV | 1150 | 3300 | 2020 | |

Ask your Bunnings Special Orders Team Member to look up the Item Numbers for the large range of steel tanks available in Colorbond® colours.

Made To
Measure



Can't find the size you want?


Speak to your Bunnings Special Orders desk and ask about Kingspan's made-to-measure options.

STEP
2

Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

Modline



These water tanks have flat ends, giving them a modern look and a smaller footprint than the equivalent capacity Slimline tank.

Here are some of our most popular tank sizes in the Modline range.

| 2000 Litres* | 3000 Litres* | 4000 Litres* | 5000 Litres* |
|--|--|---|---|
| 800mmW | 800mmW | 800mmW | 800mmW |
| 1400mmL | 2000mmL | 2600mmL | 3200mmL |
| 2020mmH | 2020mmH | 2020mmH | 2020mmH |
| IN #4818939 | IN #4819240 | IN #4819276 | IN #4819147 |
| Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads | Tank weight 80kg Good for - 547 toilet flushes - 3 hours of hand watering - 41 washing machine loads | Tank weight 105kg Good for - 668 toilet flushes - 4 hours of hand watering - 50 washing machine loads | Tank weight 130kg Good for - 833 toilet flushes - 5 hours of hand watering - 62 washing machine loads |

* Note that maximum capacities differ depending on shape and measurements of tank.

Each size has a unique Bunnings Item Number.

The Item Numbers for Modline sizes in galvanised steel are shown below:



| IN # | DESCRIPTION | Colour | Width mm | Length mm | Height mm | Notes |
|---------|--------------------------------------|--------|----------|-----------|-----------|-------|
| 4818939 | WATER TANK STEEL MOD KINGSPAN++2000L | GALV | 800 | 1400 | 2200 | |
| 4819240 | WATER TANK STEEL MOD KINGSPAN++3000L | GALV | 800 | 2000 | 2200 | |
| 4819276 | WATER TANK STEEL MOD KINGSPAN++4000L | GALV | 800 | 2600 | 2200 | |
| 4819147 | WATER TANK STEEL MOD KINGSPAN++5000L | GALV | 800 | 3200 | 2200 | |

Ask your Bunnings Special Orders Team Member to look up the Item Numbers for the large range of steel tanks available in Colorbond® colours.



Slimline in Galvanised finish



Modline in Galvanised finish



Can't find the size you want?

Speak to your Bunnings Special Orders desk and ask about Kingspan's made-to-measure options.


STEP

2

Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

Round



Traditional round water tanks remain a popular choice, space permitting.

Here are some of our most popular tank sizes in the Round range.

| 3000 Litres* | 5000 Litres* | 8000 Litres* | 10000 Litres* |
|--|---|---|--|
| 1860mmH | 1860mmH | 1860mmH | 1860mmH |
| 1500mmDia | 1900mmDia | 2400mmDia | 2700mmDia |
| IN #4814339 | IN #4814930 | IN #4814816 | IN #4814458 |
| Tank weight 80kg Good for - 547 toilet flushes - 3 hours of hand watering - 41 washing machine loads | Tank weight 105kg Good for - 879 toilet flushes - 5 hours of hand watering - 65 washing machine loads | Tank weight 145kg Good for - 1402 toilet flushes - 8 hours of hand watering - 105 washing machine loads | Tank weight 170kg Good for - 1775 toilet flushes - 10 hours of hand watering - 133 washing machine loads |

* Note that maximum capacities differ depending on shape and measurements of tank.

Each size has a unique Bunnings Item Number.

The Item Numbers for Round sizes in galvanised steel are shown below:

SEARCH THE
ITEM NUMBER



| IN # | DESCRIPTION | Colour | Width mm | Length mm | Height mm | Notes |
|---------|---------------------------------------|--------|----------|-----------|-----------|-------|
| 4814281 | WATER TANK STEEL RND KINGSPAN++1000L | GALV | 1860 | 900 | | |
| 4814310 | WATER TANK STEEL RND KINGSPAN++2000L | GALV | 1860 | 1200 | | |
| 4814339 | WATER TANK STEEL RND KINGSPAN++3000L | GALV | 1860 | 1500 | | |
| 4815013 | WATER TANK STEEL RND KINGSPAN++4000L | GALV | 1860 | 1700 | | |
| 4814959 | WATER TANK STEEL RND KINGSPAN++5000L | GALV | 1860 | 2100 | | |
| 4814930 | WATER TANK STEEL RND KINGSPAN++5000L | GALV | 1860 | 1900 | | |
| 4814988 | WATER TANK STEEL RND KINGSPAN++6000L | GALV | 1860 | 2100 | | |
| 4814816 | WATER TANK STEEL RND KINGSPAN++8000L | GALV | 1860 | 2400 | | |
| 4814458 | WATER TANK STEEL RND KINGSPAN++10000L | GALV | 1860 | 2700 | | |

Ask your Bunnings Special Orders Team Member to look up the Item Numbers for the large range of steel tanks available in Colorbond® colours.

Round COLORBOND®
Deep Ocean®



Made To
Measure



Can't find the size you want?


Speak to your Bunnings Special Orders Team Member and ask about Kingspan's made-to-measure options.

STEP
2

Select the size

Kingspan offers hundreds of sizes and dimension variations across all steel water tanks.

Square



The square shape gives these tanks a smaller footprint than the equivalent capacity Slimline or Modline tanks.

Here are some of our most popular tank sizes in the Square range.

| 2000 Litres* | 3000 Litres* | 4000 Litres* | 5000 Litres* |
|--|--|---|---|
| 1100mmW | 1300mmW | 1500mmW | 1700mmW |
| 2020mmH | 2020mmH | 2020mmH | 2020mmH |
| IN #4819034 | IN #4819258 | IN #4819158 | IN #4818981 |
| Tank weight 65kg Good for - 336 toilet flushes - 2 hours of hand watering - 25 washing machine loads | Tank weight 90kg Good for - 509 toilet flushes - 3 hours of hand watering - 38 washing machine loads | Tank weight 105kg Good for - 668 toilet flushes - 4 hours of hand watering - 50 washing machine loads | Tank weight 115kg Good for - 960 toilet flushes - 5 hours of hand watering - 72 washing machine loads |

* Note that maximum capacities differ depending on shape and measurements of tank.

Each size has a unique Bunnings Item Number.

The Item Numbers for Modline sizes in galvanised steel are shown below:



| IN # | DESCRIPTION | Colour | Width mm | Height mm | Notes |
|---------|--------------------------------------|--------|----------|-----------|-------|
| 4819034 | WATER TANK STEEL SQR KINGSPAN++2000L | GALV | 1100 | 2020 | |
| 4819258 | WATER TANK STEEL SQR KINGSPAN++3000L | GALV | 1300 | 2020 | |
| 4819158 | WATER TANK STEEL SQR KINGSPAN++4000L | GALV | 1500 | 2020 | |
| 4818981 | WATER TANK STEEL SQR KINGSPAN++5000L | GALV | 1700 | 2020 | |

Ask your Bunnings Special Orders Team Member to look up the Item Numbers for the large range of steel tanks available in Colorbond® colours.



Square in Galvanised finish



Can't find the size you want?

Speak to your Bunnings Special Orders desk and ask about Kingspan's made-to-measure options.


STEP

3


Select a colour

Choose from a huge range of Colorbond® colours, or go for a Galvanised steel finish.


Colorbond®



Galvanised



Pale Eucalypt®




Paperbark®



Woodland Grey®




Monument®




Dune®




Surfmist®



Windspray®




Jasper®



Classic Cream®



Cove®



Ironstone®




Manor Red®




Cottage Green®




Terrain®




Deep Ocean®




Evening Haze®




Gully™



Basalt™




Night Sky®



Shale Grey™



Mangrove™



Wallaby™

Each Colorbond® colour, tank type and size has a unique Bunnings Item Number.

Ask your Bunnings Special Orders Team Member for the Item Numbers of your preferred Colorbond® colour.



The COLORBOND® steel colour swatches shown have been reproduced to represent actual product colours as accurately as possible. However varying light conditions and limitations of the printing process may affect colour tones.

STEP
4

Select fitting position

When placing your order you have the option to nominate your fitting locations.
The standard fittings available are:



INLET

400mm inlet strainer with light guard fitted in tank lid.







OUTLET

25mm zinc outlet with water-marked brass ball valve fitted at the bottom of the corrugation of the tank wall.



OVERFLOW

90mm (100mm NSW only) overflow with mosquito screen fitted on the top corrugation of the tank wall.

| DEFAULT FITTING POSITION | INLETS | OUTLETS | OVERFLOW |
|--|---|---|--|
| <p>SLIMLINE</p>  | <p>2 x 400mm inlet strainers with light guards Default Positions: A & C.</p> | <p>1 x 25mm fitted outlet with watermarked ball valve Default Position: 6.</p> | <p>2 x 90mm (100mm NSW only) fitted overflows with mosquito screen Default Positions: 6 & 12.</p> |
| <p>MODLINE</p>  | <p>2 x 400mm inlet strainers with light guards Default Positions: A & C.</p> | <p>1 x 25mm fitted outlet with watermarked ball valve Default Position: 6.</p> | <p>2 x 90mm (100mm NSW only) fitted overflows with mosquito screen Default Positions: 6 & 12.</p> |
| <p>ROUND</p>  | <p>1 x 400mm fitted Inlet strainer with light guard Default Position: 12.</p> | <p>1 x 25mm fitted outlet with watermarked ball valve Default Position: 1.</p> | <p>1 x 90mm (100mm NSW only) fitted overflow with mosquito screen Default Position: 12.</p> |
| <p>SQUARE</p>  | <p>1 x 400mm fitted Inlet strainer with light guard Default Position: 12.</p> | <p>1 x 25mm fitted outlet with watermarked ball valve Default Position: 1.</p> | <p>1 x 90mm (100mm NSW only) fitted overflow with mosquito screen Default Position: 12.</p> |

Only standard default positions for fittings are available online. For custom positions, visit the Special Orders Desk.

STEP

5

Select optional accessories

Select from a range of accessories and pumps including the Evolution MkIII pump and High-flow filter.

Kingspan Evolution MkIII integrated pump system

- Offers the advantage of reducing installation time by half and saving costs, while improving the appearance of your tank system.
- Whole unit fits neatly on top of and inside the tank, instead of on the wall, resulting in a more efficient use of space and a better overall appearance.
- When the tank runs out of water or when there is a power outage, the pump automatically switches to mains water.

Item Number #4819687

High-flow filter

- This innovative High-flow water filtration system is an Australian first, developed and manufactured exclusively by Kingspan.
- Designed to stop the common issue of overflow flooding, or dampness around the tank, the High-flow filter is designed to be the best filtration on the market.
- Has the ability to handle water collection from the entire roof area and can manage water flow rates of up to 600 litres per minute.

Item Number #0045886

SEARCH THE
ITEM NUMBER



These optional accessories come built into your tank.



Evolution MkIII

High-flow



Quick installation & neater appearance

Kingspan Steel Water Tank + Evo MkIII pump can be installed in half the time of other tank and pump systems, based on average installation time.



Optional fire fittings

Fire Outlet 50mm Camlock Kit (QLD)
Item Number #4819011



Fire Outlet 65mm CFA Kit (VIC)
Item Number #4819016



Fire Outlet 65mm Storz Kit (NSW)
Item Number #4819005





Water tank

order/enquiry form


Enquiry – For an Enquiry, tick this box, fill in the Customer Details and go to the Special Orders Desk

OR


Order – Complete the order form and go to the Special Orders Desk

01 SHAPE (Refer to page 2)


Slimline




Modline



Round



Square



02 SIZE (Refer to page 3)

Item Number #

OR Width

Length

Height

03 COLOUR (Refer to page 7)

Galvanised

OR

Colorbond® Colour

04 FITTINGS POSITION (Refer to page 8 for available positions if you do not want the default position for Inlets/Outlets/Overflow).

Inlets

Default position

Outlets

Default position

Overflow

Default position

05 ACCESSORIES (Refer to page 9)

Evolution MkIII Integrated Pump System* IN #4819687

High-flow Filter* IN #0045886

06 CUSTOMER DETAILS

Date

Name

Email

Phone

Mobile

Purchase
Order

Site
Address

Special
Instructions

How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a Team Member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online. Use the number shown below to order your product online or in-store.



Each size has a unique Bunnings Item Number.
The Item Numbers for Slimline sizes in galvanised steel are shown below:

| ITEM # | DESCRIPTION | Colour | Width mm | Length mm | Height mm |
|---------|---------------------------------------|--------|----------|-----------|-----------|
| 4814630 | WATER TANK STEEL SLIM KINGSPAN++1000L | GALV | 550 | 1400 | 1560 |
| 4814878 | WATER TANK STEEL SLIM KINGSPAN++1500L | GALV | 550 | 2000 | 1560 |
| 4814561 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 550 | 2600 | 1560 |
| 4819131 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 700 | 1700 | 1860 |
| 4814345 | WATER TANK STEEL SLIM KINGSPAN++2000L | GALV | 850 | 1900 | 1560 |
| 4814738 | WATER TANK STEEL SLIM KINGSPAN++2500L | GALV | 850 | 2300 | 1560 |
| 4814713 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 700 | 2700 | 1860 |
| 4819286 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 800 | 2200 | 1860 |
| 4814854 | WATER TANK STEEL SLIM KINGSPAN++3000L | GALV | 850 | 2700 | 1560 |

2. Order At The Special Orders Desk or Online

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

3. We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products

Ask us about Additional Services

