



- Panel thickness = 41mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Strata
Version: 1.0

Code: Strata 4P



www.parkwooddoors.co.nz
www.parkwooddoors.com.au





- Panel thickness = 41mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Strata
Version: 1.0

Code: Strata 10TV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au






- Panel thickness = 41mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- This panel is single glazed in any 6mm glass required.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Strata
Version: 1.0

Code: Strata 14T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au





- Panel thickness = 41mm
- Can be made any size up to 2400 x 1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Strata
Version: 1.0

Code: Strata 24L



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



NOTE

This panel only comes in standard sizes:

710, 810, 910, 1010, 1110 and 1210mm (** stile size 105mm)

760, 860, 960, 1060 and 1160mm (** stile size 130mm)

- Panel thickness = 41mm
- Can be made any height up to 2700mm and powdercoated in any standard colour.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium



Type: Strata

Version: 1.0

Code: Strata TGV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au





- Panel thickness = 42mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles and polystyrene insulation.
- Panels are thermally enhanced.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Thermtek
Version: 1.0

Code: Thermtek 3HV



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 40mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles and polystyrene insulation.
- Panels are thermally enhanced.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.



Range: Aluminium
Type: Thermtek
Version: 1.0

Code: Thermtek 4P



www.parkwooddoors.co.nz
www.parkwooddoors.com.au

VARIES WITH
DOOR WIDTH






- Panel thickness = 40mm
- Can be made any size up to 2400 x1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles and polystyrene insulation.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Thermtek
Version: 1.0

Code: Thermtek 14T



www.parkwooddoors.co.nz
www.parkwooddoors.com.au





- Panel thickness = 40mm
- Can be made any size up to 2400 x 1200mm and powdercoated in any standard colour.
- Panels are made with aluminium profiles and polystyrene insulation.
- Panels are thermally enhanced and double glazed in any glass (unit 18mm thick).
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Thermtek
Version: 1.0

Code: Thermtek 24L



www.parkwooddoors.co.nz
www.parkwooddoors.com.au



- Panel thickness = 42mm
- Can be made any size up to 2400 x 1200mm.
- Panel made with 1.0mm aluminium skin on durable ply sheets with dense foam core.
- Finish: Specialist powder coated to any colour available.
- For our full warranty details refer to our website.
- Can be hung in any type of aluminium or timber jamb/frame, by others.
- These drawings and pictures are representations of the panel only - detail not exact.

Range: Aluminium
Type: Thermtek
Version: 1.0

Code: Thermtek CFL



www.parkwooddoors.co.nz
www.parkwooddoors.com.au