

Permeable Paving

SUREPAVE™ GRASSPAVE





VERSION 1.

07 868 0547 | WWW.CIRTEXRESIDENTIAL.CO.NZ





SurePaveTM

THE HEAVYWEIGHT IN PERMEABLE PAVING


SurePave permeable paving panels are the ideal solution for reinforcing gravel in highly stressed areas, vehicle parking, driveways, golf courses, parks or hard stand areas for boats, trailers or caravans.

The robust cellular design of SurePave offers a perfect paving alternative to concrete while still maintaining all the benefits of a hard pavement.

Porous and free draining, SurePave allows water to be absorbed easily creating a safe and functional surface that is natural and attractive. Significant features of SurePave paving panels include a unique positive interlocking system to hold panels in place, a small panel size for ease in transportation and installation, also light and stackable panels for efficient storage.

Wanting a paving solution that encompasses style, functionality and can withstand heavy duty usage? Look no further than the SurePave Paving System.

SUREPAVE TOUGHEST ON THE MARKET IN PERMEABLE PAVING!



SPECIFICATIONS >

Module Size	816mm (l) x 612mm (w) x 40mm (h)	
Material	100% Recycled High Density Polypropylene	
Weight	Approx 4.1 kg/m² unfilled	
Compressive Strength	> 700 tonnes m ² when filled (Test method; NZS 3116: 1991, App A & B)	
Colour	Black	

SUREPAVE

PRODUCT	SIZE	CODE
SurePave Paver Black	816mm x 612mm x 40mm (0.5m ²)	76148
SurePave Carpark Marker - White		76295







FEATURES >



Super strong 3.5mm wall thickness to handle traffic and turning



Panels interlock securely to reduce long-term creep



Able to withstand **700 tonnes per m²** when filled



High density polypropylene for permanent strength and durability





GRASS STABILISATION SYSTEM

GrassPave is an eco-friendly, economical permeable paving system ideal for grassed pedestrian and overflow parking areas.

GrassPave is a versatile yet strong method to reinforce your green areas. Most grass pavers made of concrete, tend to heat up causing the grass to dry out and scorch. GrassPave solves this problem.

The unique honeycomb cell structure creates a stable surface to support

turfed areas where pedestrian and occasional vehicle traffic would usually cause problems of ground rutting and soil compaction.

All GrassPave permeable paving panels have a simple interlocking clip system that holds panels together. GrassPave panels are 3% the weight of traditional concrete grass paver alternatives, making installation and transportation considerably easier.

GRASSPAVE THE BEST SOLUTION FOR GRASS STABILISATION!

SPECIFICATIONS >

Module Size	816mm (l) x 612mm (w) x 40mm (h)
Material	100% Recycled High Density Polypropylene
Weight	Approx 4.1 kg/m ² unfilled
Compressive Strength	> 700 tonnes m ² when filled (Test method; NZS 3116: 1991, App A & B)
Colour	Green

GRASSPAVE

PRODUCT	SIZE	CODE
GrassPave Paver Green	816mm x 612mm x 40mm (0.5m ²)	13275







FEATURES >



Free draining permeable surface



Rated for **residential**, **commercial** and **industrial use**



Environmentally friendly




Panels interlock securely to reduce long-term creep



Super strong 3.5mm wall thickness to handle traffic and turning




Cost effective





GRASSPAVE > SUREPAVE

WHICH PERMEABLE PAVER SUITS MY PROJECT?



CIRTEX[®] INDUSTRIES LTD

Head Office 16 Queen Street | Kopu | Thames 3578 | NZ Postal Address PO Box 470 | Thames 3540 | NZ 07 868 0547 | MERCHANTSALES@CIRTEX.CO.NZ WWW.CIRTEXRESIDENTIAL.CO.NZ



