


Buildashed - Frequently Asked Questions

At Buildashed we want to make buying and building a shed as easy as possible. We have designed our shed system to be flexible, so you can get the shed that fits your space. Here are the answers to some of our frequently asked questions.


Can I have the door on the other end of my shed?

Yes – you simply install the wall with the door, in the end you want. You can make this choice at the time you build. This is a simple modification.




Can I have the roof sloping the other way?

Yes – you simply install the roof around the other way. All the holes should still align. This is a simple modification.



Assembled sloping left


The roof on skillion roof sheds can be rotated 180 degrees to have the slope go the way you want. Choose this at the time you build.



Assembled sloping right

Can I have the door open right to left instead of left to right?

Yes – you simply install the entire wall with the door upside down. As the pad bolt is mounted as close to the centre-point possible, the alignment should be identical. You may have to drill some additional holes in the top channel (was the bottom) for the roof to screw into. This is an easy



Can I assemble a skillion shed as a flat roof?

Yes – you just omit some panels. You may have to re-drill and cap some holes in the roof sheets. This is a simple modification for a skilled DIY handyman. You cannot assemble a gable roof as a flat roof shed.



Assembled as flat roof


To assemble as a flat roof simply omit the skillion end and infill panels at the time of the build



Assembled as skillion roof

Can I have a door in both ends of my shed?

Yes – this is a tunnel shed, and there are individual Bunnings item numbers for tunnel shed variations. Your Bunnings Warehouse team member can assist or use the online shed selector.



You can have a door at both ends of your shed. This is called a tunnel shed.

Do you have a skylight or window option?

No – If you need to let in additional light, we suggest you install an Edmonds Turbobeam (Bunnings item number 0819184) this has the advantage of both letting in light and ventilation. There are also extensive ranges of battery-operated LED lights that are very suited to installation in sheds.

My space is wider or narrower than your standard sizes, can I change the wall length?

No – It is not practical to try and change the wall sizes outside of the available options. Trying to lengthen or shorten walls changes the roof geometry which requires major metal working skills to modify.

Can I change the way the ridge runs on my gable roof shed?

On square gable roof sheds (0.8 x 0.8, 1.5 x 1.5, 2.3 x 2.3 and 3.0 x 3.0) you can choose the way the gable ridge runs at the time of the build. It is the same shed. For rectangular gable roof sheds, the side gable and front gable versions are different sheds and have different Bunnings item numbers. Use the online shed selector at www.buildashed.com.au to select the correct shed.



Side Gable



Front Gable

I need to match a Colorbond color?

We have the three finishes.

- Green is close to a Colorbond color called Pale Eucalypt*
- Grey is close to a Colorbond color called Monument*
- Cream is close to a Colorbond color called Paperbark*.
- Zinc is plain galvanized steel.

You can paint a galvanized steel shed to any color you wish with the correct preparation.

**Colorbond and equivalent color names listed are trademarks of Bluescope Steel Limited and are used only for comparison. The use of color names indicates no more than color equivalency.*

Do floors come with the shed?

No – Metal sheds do not come with floors. Most sheds are installed on either an existing concrete surface or a concrete slab. All Buildashed sheds come complete with bolt down brackets and concrete fastening bolts. If you are going to secure your shed to decking or a timber base you will need to purchase some M8 coach screws in the length to suit your job.

What tools will I need to assemble my shed?

You only need basic tools. We suggest:

- Power screwdriver with Philips head bit plus a spare bit.
- Pop rivet gun for assembling the doors. Rivets are all supplied.
- Impact drill and 10mm masonry bit for the concrete fasteners.
- A 3mm drill bit to clear holes is handy.
- Hammer to tap channels into position.


Use the online shed selector at www.buildashed.com.au .

Contact the Garden Shed Hotline on 1300 781 230

- Boxes or sawhorses to get things off the ground to save your back.
- Small step ladder to help get the roof into position.
- Gloves for safety.

Can I fit the shed in my car?

We have designed our packaging to be one-person lift friendly. Depending on the size of your shed, it will come in either 5, 6 or 9 cartons which each weigh less than 25Kg with grab handles on the side so they are easy to move around. Our cartons are a standard size.



I have another question?

This document addresses the common frequently asked questions. If you have a question that has not been answered here, contact the Garden Shed Hotline on 1300 781 230.

**[BUILD
A SHED]**

The World's Largest Range of Garden Sheds