

Model No. :	21817/06	21817/16
Colour :	Black	Stainless Steel

Congratulation on the purchase of your new Brilliant product. Before first using, it is most important that you read and follow these instructions, even if you feel you are quite familiar with this type of product. Keep this document handy for future reference.

THIS FITTING MUST BE INSTALLED BY A QUALIFIED ELECTRICAL CONTRACTOR in accordance with the latest AS/NZS 3000 and relevant amendments

FOR YOUR SAFETY

- To prevent electrical shock, please ensure that POWER is DISCONNECTED before installation.
- During use the light head and/or light assembly may become hot.
- Do not install in a position where the fitting can be easily accessed by children or the infirm.
- Do not touch any parts of the assembly with bare hands while it is 'ON'.
- Be aware of the height of your installation. Refer to 'Working at Heights' guide from your local or State Authorities.
- Any alterations or additions to building wiring must be completed by a licensed electrician or person authorised by legislation to work on the fixed wiring of any electrical installation.





1





Model No.:	21817/06	21817/16
Colour :	Black	Stainless Steel

Before first using your new fitting, it is most important that you read and follow these instructions, even if you feel you are quite familiar with this type of product. Retain this document for future reference.


THIS FITTING MUST BE INSTALLED BY A QUALIFIED ELECTRICAL CONTRACTOR in accordance with the latest AS/NZS 3000 and relevant amendments

INSTALLATION






Remove cover 'D' on the back of the fitting by undoing 2 x screws 'E' to access the terminal block .



Feed mains supply cable through the wall and weatherproof grommet 'F' of the cover 'D'. Ensure grommet seals well. Apply silicone if required to maintain IP rating.

Connect cable L- Active, N-neutral to terminal block 'H' according to the marking on it. Tighten screws firmly.

Replace cover 'D' with 2 x screws 'E' removed earlier.



Drill four holes in the wall using the holes in the fitting body 'A' as a template. Use screws and suitable fixture system 'G' to install the fitting 'A' onto the wall securely. NOTE: The fitting can be installed in any orientation. Always ensure that grommet' F' is tight around the cable and it is not damaged. Apply silicone if required to maintain IP rating.





Model No.:	21817/06	21817/16
Colour :	Black	Stainless Steel

Before first using your new fitting, it is most important that you read and follow these instructions, even if you feel you are quite familiar with this type of product. Retain this document for future reference.

THIS FITTING MUST BE INSTALLED BY A QUALIFIED ELECTRICAL CONTRACTOR in accordance with the latest AS/NZS 3000 and relevant amendments

INSTALLATION continued:





SPECIFICATIONS

- 220~240VAC 50Hz
- Integrated LED array 9W Cool White 450lm
- · Frosted diffuser
- Dimensions: 193mm x 143mm x 51.5mm
- Housing material: Polycarbonate
- Front cover is Stainless steel
- · Protection: Class II
- Weatherproof: IP54
- · Suitable for outdoor use
- Not dimmable
- Weight: 0.46kg

Note: This fitting has no serviceable parts.

Protection & Maintenance - Stainless Steel models

The Brilliant Lighting range of exterior lights are offered in Stainless Steel. However, it is critical to note that these Stainless Steel fittings must be properly prepared BEFORE installation, and maintained regularly, in order to maintain their finish.

Stainless Steel has a very high resistance to corrosion. Despite this, 'blotches' may appear on the surface of the stainless steel. The cause of the blotching is due to some free iron atoms from the polishing wire brushes remaining on the surface, and is NOT A FAULT. A soft cloth soaked with neutral oil (WD-40) will remove these 'blotches'.

BEFORE installation, the stainless steel parts MUST BE TREATED with neutral oil, which must penetrate all the joints, after which, dry the area with a soft cloth. In extremely corrosive environments, the treatment with oil must be repeated at least 4 times a year. In case of serious corrosion, use an abrasive paste designed for stainless steel to remove the stain, then reapply the neutral oil again.



Model No. :	21817/06	21817/16
Colour :	Black	Stainless Steel

WARNINGS

- Check before installation that the mounting surface is suitable for the fixture.
- · Do not install it on surfaces which can move or vibrate.
- Do not immerse any part of the fitting into water or any liquid.
- Ensure the mounting base is affixed firmly to the fixture to maintain IP rating.
- Ensure the cable is fed through weatherproof grommet. Ensure no gap around edges and the grommet it tight around cable. Apply silicone if required to maintain IP rating.
- · Ensure wire connections are firm.
- · Ensure all screws are tightened.
- Do not attempt to perform modification or change parts within the light fixture.
- Dispose of packaging thoughtfully.
- · When the fitting reaches it's end life, recycle in accordance with your local regulations.

Warranty:

Brilliant Lighting warrants this product against defects in manufacture and workmanship for a period of 2 years from date of purchase or as specified elsewhere. For products used in non-domestic or commercial applications, Brilliant Lighting warrants this product for a period of 3 months from date of purchase. This warranty is only valid for products installed and operated within the guidelines specified by Brilliant Lighting, and within the correct operating voltage ranges as stated on the product's rating label.

Warranty does not include damage or loss arising from incorrect installation, operation or maintenance of this product, damage caused through modification, incorrect installation, service by unqualified or unauthorised personnel or lack of regular maintenance and cleaning. Proof of installation by qualified personnel may be required, e.g. Electrical Safety Certificate. Proof of purchase must be supplied with all warranty claims.

This warranty is provided in addition to any other rights and remedies of the customer under any law. In applications not intended for household, personal or domestic use, liability is limited to replacement or reimbursement of product only. Brilliant Lighting does not warranty the costs of removal or re-installation of this product or associated components.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

Any claim under this warranty must be made within the specified warranty period from date of purchase of this product. To make a claim under the warranty; at your own expense take the product (with proof of purchase – receipt or similar) to the store where you purchased the product or contact Brilliant Lighting at the address below.

This warranty is given by:

Brilliant Lighting (Aust) Pty. Ltd. ABN 37 006 203 694 956 Stud Road Rowville, VIC 3178

Phone: 03 9765 2555

Email: Warranty@brilliantlighting.com.au

MADE IN CHINA